

THE  
EDGE  
OF  
PERFECTION

BENCHMADE  
2019 CATALOG

# THE EDGE OF PERFECTION™

There is one thing we all have in common. It's the thing that drives us. Consumes our minds. Challenges us to be better. It's the mastery of our craft. It requires relentless work ethic and tireless innovation. It's a no nonsense, no exception, make it right drive for constant betterment. This is life on the edge of perfection. And we wouldn't have it any other way.

Benchmade. The Edge Of Perfection.™

## 2019 NEW PRODUCTS

### GOLD CLASS PAGES 4-5



535-191 **BUGOUT™**  
P.5

### BLUE CLASS PAGES 6-43



380 **ALLER™**  
P.31



560-1 **FREEK™**  
P.17

### BLACK CLASS PAGES 44-80



365 **OUTLAST™**  
P.67









980 **TURRET™**  
P.65

# HOW TO CHOOSE YOUR BENCHMADE KNIFE







## 1 ACTIVITY

Outdoor, tactical, every day use—there are many uses for a knife, and some knives are better for certain activities than others.

### HOW WILL YOU USE YOUR KNIFE?

-  **TACTICAL** Designed for hard, immediate use, these high-strength knives feature robust mechanisms for situations where performance is a must.
-  **RESCUE** For critical situations. Gloved hands and the need to cut pliable materials are considerations in the design of these knives.
-  **EVERY DAY** Not obtrusive or uncomfortable in slacks or shorts; just convenient and well fitted to your general needs.
-  **OUTDOOR** From water to woods, backpacking trips to car camping, kayaking to fly-fishing, these versatile cutting tools can be used for many tasks.
-  **HUNTING** Knives are a critical component of a successful hunt. These are the most advanced hunting knives ever made.
-  **SURVIVAL** Things can happen unexpectedly for any adventurer. These knives have been built for the unexpected.

### KEY KNIFE FEATURES

-  **AXIS\*** The AXIS\* lock is truly ambidextrous and extremely strong.
-  **Option Lock** When versatility is key, the patent-pending OPTION™ lock gives the advantage of having two different blades using the same mechanism, without compromising lockup strength or ease of use.
-  **Ambidextrous** Can be used equally well with either hand.
-  **Reversible Clip** The pocket clip can be removed and placed in alternate locations on the handle.
-  **MOLLE\* Compatible** A versatile attachment system designed for kitting military equipment.
-  **LifeSharp: Service and Warranty** Our industry-leading lifetime warranty and product service program. For more detailed information, visit pages 89 and 96.

## 2 MECHANISM

We offer five primary actions: manual-opening, assisted-opening, automatic-opening, fixed blade and Bali-Song®. If you're a mountain climber, you may want an assist. If you're a sportsman, a fixed blade may be the right choice. Whatever the case, consider which mechanism type is optimal for your needs. Mechanisms like the AXIS® lock deliver manual opening, assisted opening and automatic opening. Others, like the monolock, deliver only manual opening. For detailed information on our mechanisms, visit page 91.

### ACTIONS









- Manual-opening** "Manuals" must be opened 100%, from the closed position to the open position, by the user.
- Assisted-opening** "Assists" have a spring that encourages the blade into the open position once the user pushes the blade manually beyond a certain point.
- Automatic-opening** "Autos" have a button or other actuation switch that

- mechanically fires the blade open without the user directly manipulating the blade.
- Fixed Blade** These knives are permanently open and almost always come with a sheath to protect the edge.
- Bali-Song®** "Balis" or "butterfly knives" open and close by way of two handles that rotate around the front and back of the blade.

## 3 BLADE STYLE

While the cutting edge does the work, the edge is applied to the cutting surface in different ways depending on the shape of the blade. Blade shapes with larger radiuses may be optimal for hunting, while blade shapes with hard angles, like the tanto, may be better for tactical applications.

### SHAPES

-  **Clip-point** Blade contains a sharp beak, typically forward of the mid-point, as if the tip has been "clipped off."
-  **Drop-point** Drops off the spine to the top. Tip height is typically below the center line on the blade.
-  **Tanto** This shape is easily identified by the angular lines. The knife edge is flat and transitions with a hard break in the angle from the tip to the primary edge.
-  **Reverse Tanto** Defined by the bevel creating an upside-down tanto profile, adding weight forward on the blade.
-  **Sheepsfoot** The spine of the blade "rolls" into the tip, creating a more rounded end to discourage puncturing.
-  **Wharncliffe** Similar in shape to the sheepsfoot with a spine that "rolls" into the tip earlier. This blade has a completely straight edge.
-  **Spear-point** Must be symmetrical considering the blade profile. \*Traditionally, spear-points are double-sided, but those knives are more specifically referred to as daggers.
-  **Weehawk** Characterized by a sweeping edge and spine radius that tapers to the tip and handle.

### CONFIGURATION CODES (INSIDE THE MODEL NUMBERS)

#### BLADE VARIATIONS

- None** No coating, no serrations
- S** Serrations, no coating
- BK** Black coating, no serrations
- SBK** Serrations and black coating
- DLC** Diamond-like-Carbon coating

#### HANDLE

- ORG** Orange
- OD** Olive Drab
- SN** Sand
- PNK** Pink
- YEL** Yellow
- BLU** Blue
- GRY** Gray
- \*-1, -2, etc. typically indicate handle material variations


## 4 BLADE STEEL

Steel composition can mean the difference between one sharp cut and a thousand. There are many types of steel, and additional factors that play into the right kind of steel for your usage. For instance, the way some steels are heat-treated plays a critical role in a knife's performance.

### PROPERTIES

- Edge Retention** How long a blade can maintain its sharpened edge.
- Strength** Maximum stress withstood before a blade breaks or fails.
- Corrosion Resistance** Resistance of a blade to oxidization and chemical attack.
- Toughness** Resistance of a blade to fracture and chipping.

For more detailed information, visit page 92 or go to [benchmade.com](http://benchmade.com).



## 535-191 **BUGOUT**® NEW

BENCHMADE DESIGN • U.S.A.



Light on weight but not on features. This dressed-up Bugout is ready for a night on the town.

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL** Munin™ pattern Damasteel® (58-60HRC)

**HANDLE** Ghost carbon fiber with blue C-Tek inlay and smoked gray PVD coated liners

**POCKET CLIP** Reversible smoked gray PVD coated mini deep-carry

**EXTRA** Blue anodized titanium thumbstud, barrel spacer, DLC coated titanium lock stud and DLC coated hardware



535-191

### 535-191

BLADE LENGTH	3.24" (8.23cm)
BLADE THICKNESS	0.090" (2.286mm)
OPEN	7.46" (18.95cm)
CLOSED	4.22" (10.72cm)
WEIGHT	2.10oz (59.53g)
HANDLE THICKNESS	0.45" (11.430mm)

### CONFIGURATION

535-191



# 87 Ti BALI-SONG®

BENCHMADE DESIGN • U.S.A.



The past inspires the future, and while it all started in 1987, nothing about this billet titanium Bali-Song® is old-school.

**MECHANISM** Bali-Song® with magnetic latch-lock

**BLADE STYLE** Wharncliffe

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Sandblasted, single-piece billet titanium

**POCKET CLIP** None

**EXTRA** Thrust-bearing washers, custom hardware and patent-pending magnetic latch

**SHEATH** Gray nylon with multiple carry options



NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

87



Sheath included

ALL  
DAY  
EVERY  
CARRY

### 87

BLADE LENGTH	4.50" (11.43cm)
BLADE THICKNESS	0.124" (3.150mm)
OPEN	10.00" (25.40cm)
CLOSED	5.50" (13.97cm)
WEIGHT	5.37oz (152.24g)
HANDLE THICKNESS	0.46" (11.684mm)
SHEATH WEIGHT	0.66oz (18.71g)

### CONFIGURATION

87

## 62/63/67/62T BALI-SONG®

BENCHMADE DESIGN • U.S.A.



Based on the classic Bali—with crafted stainless steel handles.

**MECHANISM** Bali-Song® with T-latch

**BLADE STYLE** 62: Weehawk;  
63: Bowie; 67: Tanto; 62T: Trainer

**BLADE STEEL** D2 tool steel  
(60-62HRC)

**HANDLE** Hand-finished,  
machined stainless steel

**POCKET CLIP** None

**SHEATH** Nylon



NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA



Sheath included  
(62, 63, 67)

### CONFIGURATIONS

62	WEEHAWK
63	BOWIE
67	TANTO
62T (440C STEEL)	TRAINER

	62	63	67	62T
<b>BLADE LENGTH</b>	4.25" (10.80cm)	4.25" (10.80cm)	4.25" (10.80cm)	4.25" (10.80cm)
<b>BLADE THICKNESS</b>	0.125" (3.175mm)	0.125" (3.175mm)	0.125" (3.175mm)	0.125" (3.175mm)
<b>OPEN</b>	9.20" (23.37cm)	9.20" (23.37cm)	9.20" (23.37cm)	9.20" (23.37cm)
<b>CLOSED</b>	5.27" (13.39cm)	5.27" (13.39cm)	5.27" (13.39cm)	5.27" (13.39cm)
<b>WEIGHT</b>	6.33oz (179.45g)	6.37oz (180.59g)	6.39oz (181.15g)	6.33oz (179.45g)
<b>HANDLE THICKNESS</b>	0.48" (12.192mm)	0.48" (12.192mm)	0.48" (12.192mm)	0.48" (12.192mm)

## 51 MORPHO®

BENCHMADE DESIGN • U.S.A.



A lightweight Bali that brings modern style to a classic.

**MECHANISM** Bali-Song® with Nitrous®  
latch-lock

**BLADE STYLE** Drop-point

**BLADE STEEL** D2 tool steel (60-62HRC)

**HANDLE** Black skeletonized G10 with  
blue anodized, jeweled titanium liners

**POCKET CLIP** Tip-up blue anodized  
titanium



NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

	51
<b>BLADE LENGTH</b>	4.25" (10.80cm)
<b>BLADE THICKNESS</b>	0.100" (2.540mm)
<b>OPEN</b>	9.35" (23.75cm)
<b>CLOSED</b>	5.40" (13.72cm)
<b>WEIGHT</b>	3.30oz (93.55g)
<b>HANDLE THICKNESS</b>	0.47" (11.938mm)

### CONFIGURATIONS

51	51BK	BLACK
----	------	-------

**490 ARCAINE®**  
BENCHMADE DESIGN • U.S.A.



The speed and function of **AXIS® Assist**; the convenience of a flipper.

**MECHANISM** AXIS® Assist flipper with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S90V super premium stainless steel (59-61HRC)

**HANDLE** Black anodized 7075-T6 billet aluminum

**POCKET CLIP** Reversible tip-up silver deep-carry



490

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

490	
BLADE LENGTH	3.25" (8.26cm)
BLADE THICKNESS	0.090" (2.286mm)
OPEN	7.77" (19.74cm)
CLOSED	4.52" (11.48cm)
WEIGHT	2.88oz (81.65g)
HANDLE THICKNESS	0.48" (12.192mm)

**CONFIGURATIONS**

490	
490S	SERR

**495 VECTOR®**  
BENCHMADE DESIGN • U.S.A.



G10 scales, stainless steel liners and expressive styling take the **AXIS® Assist** flipper in a new direction.

**MECHANISM** AXIS® Assist flipper with integrated safety

**BLADE STYLE** Spear-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Black contoured and textured G10 with stainless steel liners

**POCKET CLIP** Reversible tip-up silver deep-carry

**EXTRA** Stainless steel barrel spacers



495

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

495	
BLADE LENGTH	3.60" (9.14cm)
BLADE THICKNESS	0.100" (2.540mm)
OPEN	8.42" (21.39cm)
CLOSED	4.82" (12.24cm)
WEIGHT	4.11oz (116.52g)
HANDLE THICKNESS	0.60" (15.240mm)

**CONFIGURATION**

495
-----

# EMISSARY® FAMILY

OSBORNE DESIGN • U.S.A.

**477/477-1**    **470-1**



Strong, versatile, and good-looking.

**MECHANISM** AXIS® Assist with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** 477: Black anodized, 6061-T6 billet aluminum; 477-1: Aqua anodized, 6061-T6 billet aluminum; 470-1: Black anodized, 7075-T6 billet aluminum

**POCKET CLIP** Reversible tip-up silver deep-carry



477S

477-1

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA



470-1  
Mini

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

	477/477-1	470-1
<b>BLADE LENGTH</b>	3.45" (8.76cm)	3.00" (7.62cm)
<b>BLADE THICKNESS</b>	0.100" (2.540mm)	0.090" (2.286mm)
<b>OPEN</b>	8.00" (20.32cm)	6.90" (17.53cm)
<b>CLOSED</b>	4.55" (11.56cm)	3.90" (9.91cm)
<b>WEIGHT</b>	3.95oz (111.98g)	2.20oz (62.37g)
<b>HANDLE THICKNESS</b>	0.52" (13.208mm)	0.45" (11.430mm)

CONFIGURATIONS	
470-1	
477	
477S	SERR
477-1	
477S-1	SERR

# 1000001 VOLLI

BENCHMADE DESIGN • U.S.A.



Utilizes the same AXIS® Assist as the Barrage® series but with a broader blade and a slimmer handle with G10 scales.

**MECHANISM** AXIS® Assist with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Black contoured and textured G10 with stainless steel liners

**POCKET CLIP** Reversible tip-up black oxide split-arrow



1000001

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

	1000001
<b>BLADE LENGTH</b>	3.26" (8.28cm)
<b>BLADE THICKNESS</b>	0.100" (2.540mm)
<b>OPEN</b>	7.68" (19.51cm)
<b>CLOSED</b>	4.42" (11.23cm)
<b>WEIGHT</b>	4.28oz (121.34g)
<b>HANDLE THICKNESS</b>	0.56" (14.224mm)

CONFIGURATIONS	
1000001	
1000001S	SERR
1000001BK	BLACK
1000001SBK	SERR BLACK



## 581 BARRAGE®

OSBORNE DESIGN • U.S.A.



The dressed-up handle and enhanced steel offer premium performance.

**MECHANISM** AXIS® Assist with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL** M390 super premium stainless steel (58-61HRC)

**HANDLE** Black G10 with aluminum bolsters and stainless steel liners

**POCKET CLIP** Reversible tip-up black oxide split-arrow



581

### CONFIGURATION

581

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

#### 581

BLADE LENGTH	3.60" (9.14cm)
BLADE THICKNESS	0.121" (3.073mm)
OPEN	8.35" (21.21cm)
CLOSED	4.75" (12.07cm)
WEIGHT	5.20oz (147.42g)
HANDLE THICKNESS	0.65" (16.510mm)

## G10 BARRAGE® FAMILY

OSBORNE DESIGN • U.S.A.



### 580-2/585-2



Gray G10 and upgraded blade steel offer enhanced performance.

**MECHANISM** AXIS® Assist with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Gray textured G10 with stainless steel liners

**POCKET CLIP** Reversible tip-up black oxide split-arrow

**EXTRA** Black oxide metal backspacer, single barrel spacer



580-2

585-2  
Mini

### CONFIGURATIONS

580-2
585-2
585SBK-2 SERR BLACK

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

#### 580-2 585-2

BLADE LENGTH	3.60" (9.14cm)	2.91" (7.39cm)
BLADE THICKNESS	0.121" (3.073mm)	0.100" (2.540mm)
OPEN	8.35" (21.21cm)	6.91" (17.55cm)
CLOSED	4.75" (12.07cm)	4.00" (10.16cm)
WEIGHT	4.94oz (140.05g)	3.76oz (106.59g)
HANDLE THICKNESS	0.62" (15.758mm)	0.57" (14.478mm)

## BARRAGE® FAMILY

OSBORNE DESIGN • U.S.A.



### 580/585



### 583



Quick, one-handed opening for righties or lefties.

**MECHANISM** AXIS® Assist with integrated safety

**BLADE STYLE** 580 & 585: Drop-point; 583: Tanto

**BLADE STEEL** 154CM stainless steel (58-61HRC)

**HANDLE** Black Valox® with stainless steel liners

**POCKET CLIP** Reversible tip-up black oxide split-arrow



583SBK

580

585  
Mini

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

	<b>580</b>	<b>583</b>	<b>585</b>
BLADE LENGTH	3.60" (9.14cm)	3.60" (9.14cm)	2.91" (7.39cm)
BLADE THICKNESS	0.121" (3.073mm)	0.121" (3.073mm)	0.100" (2.540mm)
OPEN	8.35" (21.21cm)	8.35" (21.21cm)	6.91" (17.55cm)
CLOSED	4.75" (12.07cm)	4.75" (12.07cm)	4.00" (10.16cm)
WEIGHT	4.31oz (122.19g)	4.51oz (127.86g)	3.40oz (96.39g)
HANDLE THICKNESS	0.65" (16.510mm)	0.65" (16.510mm)	0.57" (14.478mm)

### CONFIGURATIONS

580
580S SERR
580BK BLACK
580SBK SERR BLACK
583
583S SERR
583BK BLACK
583SBK SERR BLACK
585
585S SERR
585BK BLACK
585SBK SERR BLACK

## BOOST® FAMILY

BENCHMADE DESIGN • U.S.A.



### 590/595



Dual durometer handles greatly increase grip performance while maintaining strength on this fast-action assist.

**MECHANISM** AXIS® Assist with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Dark gray Grivory® and black overmolded Versaflex®

**POCKET CLIP** 590: Reversible tip-up black oxide deep-carry; 595: Reversible tip-up mini black oxide deep-carry



590

595SBK  
Mini

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

	590	595
<b>BLADE LENGTH</b>	3.70" (9.40cm)	3.11" (7.90cm)
<b>BLADE THICKNESS</b>	0.120" (3.048mm)	0.100" (2.540mm)
<b>OPEN</b>	8.52" (21.64cm)	7.18" (18.22cm)
<b>CLOSED</b>	4.83" (12.26cm)	4.07" (10.33cm)
<b>WEIGHT</b>	4.59oz (130.12g)	3.31oz (93.84g)
<b>HANDLE THICKNESS</b>	0.70" (17.780mm)	0.63" (16.002mm)

#### CONFIGURATIONS

590		
590BK		BLACK
590SBK	SERR	BLACK
595		
595S		SERR
595BK		BLACK
595SBK	SERR	BLACK

## 560-1 FREEK® NEW

BENCHMADE DESIGN • U.S.A.



Form and function in the same package.

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-M4 super steel (62-64HRC)

**HANDLE** Gray and black textured G10 with red base layer

**POCKET CLIP** Reversible tip-up black oxide split-arrow

**EXTRA** Red anodized aluminum barrel spacers



560SBK-1

560-1	
<b>BLADE LENGTH</b>	3.60" (9.14cm)
<b>BLADE THICKNESS</b>	0.114" (2.896mm)
<b>OPEN</b>	8.46" (21.49cm)
<b>CLOSED</b>	4.86" (12.34cm)
<b>WEIGHT</b>	4.30oz (121.90g)
<b>HANDLE THICKNESS</b>	0.62" (15.75mm)

#### CONFIGURATIONS

560BK-1		BLACK
560SBK-1	SERR	BLACK

## FREEK® FAMILY

BENCHMADE DESIGN • U.S.A.



Dual durometer handles afford strength, comfort, and positive grip to this versatile folder.

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Warm gray Grivory® and black overmolded Versaflex®

**POCKET CLIP** Reversible tip-up black oxide split-arrow



560

565SBK  
Mini

	560	565
<b>BLADE LENGTH</b>	3.60" (9.14cm)	3.00" (7.62cm)
<b>BLADE THICKNESS</b>	0.114" (2.896mm)	0.104" (2.642mm)
<b>OPEN</b>	8.46" (21.49cm)	7.05" (17.91cm)
<b>CLOSED</b>	4.86" (12.34cm)	4.05" (10.29cm)
<b>WEIGHT</b>	3.72oz (105.46g)	2.57oz (72.86g)
<b>HANDLE THICKNESS</b>	0.65" (16.510mm)	0.59" (14.986mm)

#### CONFIGURATIONS


560		
560SBK	SERR	BLACK
565		
565S		SERR
565BK		BLACK
565SBK	SERR	BLACK

# GRIP TILIAN® FAMILY NEW

PARDUE DESIGN • U.S.A.



**550/550-1**    **551/551-1/553**



More shapes, sizes, and color options than any other Benchmade family.

**MECHANISM** AXIS® lock

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC); 550-1/551-1: CPM-20CV premium stainless steel (59-61HRC); 551H2O: N680 ultra stainless steel (57-59HRC)

**BLADE STYLE** 550: Sheepsfoot; 551: Drop-point; 553: Tanto

**HANDLE** Glass-filled nylon with stainless steel liners; 550-1/551-1: Gray and blue layered G10

**POCKET CLIP** Reversible tip-up standard black oxide; 550-1/551-1: reversible tip-up black oxide deep-carry; 551H2O: reversible tip-up silver split-arrow



### CONFIGURATIONS

550-S30V
550S-S30V    SERR
550BK-S30V    BLACK
550SBK-S30V    SERR    BLACK
550BKOD-S30V    BLACK
550SBKOD-S30V    SERR    BLACK
550BKSN-S30V    BLACK
550-1
551-S30V
551S-S30V    SERR
551BK-S30V    BLACK
551SBK-S30V    SERR    BLACK
551BKOD-S30V    BLACK
551SBKOD-S30V    SERR    BLACK
551BKSN-S30V    BLACK
551SBKSN-S30V    SERR    BLACK
551-ORG-S30V
551-1
553-S30V
553SBK-S30V    SERR    BLACK
553SBKSN-S30V    SERR    BLACK

### 550/551/553

### 550-1/551-1

<b>BLADE LENGTH</b>	3.45" (8.76cm)	3.45" (8.76cm)
<b>BLADE THICKNESS</b>	0.115" (2.921mm)	0.115" (2.921mm)
<b>OPEN</b>	8.07" (20.50cm)	8.07" (20.50cm)
<b>CLOSED</b>	4.62" (11.73cm)	4.62" (11.73cm)
<b>WEIGHT</b>	3.79oz (107.44g) 550	4.13oz (117.08g) 550-1
	3.88oz (110.00g) 551	4.17oz (118.22g) 551-1
	3.89oz (110.28g) 553	
<b>HANDLE THICKNESS</b>	0.64" (16.256mm)	0.61" (15.494mm)

# MINI GRIP TILIAN® FAMILY NEW

PARDUE DESIGN • U.S.A.



**555/555-1**    **556/556-1**    **557**



More shapes, sizes, and color options than any other Benchmade family.

**MECHANISM** AXIS® lock

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC); 555-1/556-1: CPM-20CV premium stainless steel (59-61HRC)

**BLADE STYLE** 555: Sheepsfoot; 556: Drop-point; 557: Tanto

**HANDLE** Glass-filled nylon with stainless steel liners; 555-1/556-1: Gray and blue layered G10

**POCKET CLIP** Reversible tip-up standard black oxide; 555-1/556-1: reversible tip-up black oxide deep-carry



### CONFIGURATIONS

555-S30V
555S-S30V    SERR
555BK-S30V    BLACK
555SBK-S30V    SERR    BLACK
555BKOD-S30V    BLACK
555-1
556-S30V
556S-S30V    SERR
556BK-S30V    BLACK
556SBK-S30V    SERR    BLACK
556BKOD-S30V    BLACK
556BKSN-S30V    BLACK
556SBKSN-S30V    SERR    BLACK
556-YEL-S30V
556S-YEL-S30V    SERR
556-BLU-S30V
556S-BLU-S30V    SERR
556-PNK-S30V
556S-PNK-S30V    SERR
556-1
557-S30V
557SBK-S30V    SERR    BLACK
557SBKSN-S30V    SERR    BLACK
557SBKOD-S30V    SERR    BLACK

### 555/556/557

### 555-1/556-1

<b>BLADE LENGTH</b>	2.91" (7.39cm)	2.91" (7.39cm)
<b>BLADE THICKNESS</b>	0.100" (2.540mm)	0.100" (2.540mm)
<b>OPEN</b>	6.78" (17.22cm)	6.78" (17.22cm)
<b>CLOSED</b>	3.87" (9.83cm)	3.87" (9.83cm)
<b>WEIGHT</b>	2.68oz (75.98g) 555	2.88oz (81.65g) 555-1
	2.81oz (79.66g) 556	2.90oz (82.21g) 556-1
	2.79oz (79.10g) 557	
<b>HANDLE THICKNESS</b>	0.51" (12.954mm)	0.55" (13.970mm)

## 531

PARDUE DESIGN • U.S.A.



Superior performance in a rugged, lightweight package.

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL** 154CM stainless steel (58-61HRC)

**HANDLE** Gray and black textured G10

**POCKET CLIP** Reversible tip-up black oxide, split-arrow



531

<b>531</b>	
<b>BLADE LENGTH</b>	3.25" (8.26cm)
<b>BLADE THICKNESS</b>	0.090" (2.286mm)
<b>OPEN</b>	7.42" (18.85cm)
<b>CLOSED</b>	4.17" (10.59cm)
<b>WEIGHT</b>	2.10oz (59.53g)
<b>HANDLE THICKNESS</b>	0.37" (9.398mm)

### CONFIGURATIONS

531	
531S	SERR
531BK	BLACK
531SBK	SERR BLACK

## 535 BUGOUT® FAMILY

BENCHMADE DESIGN • U.S.A.



### 535/535-1



Sometimes being versatile means packing light.

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** 535: Textured blue Grivory®; 535-1GRY: Textured ranger green Grivory®

**POCKET CLIP** Reversible tip-up mini deep-carry

**EXTRA** 535: Blue anodized thumb studs and barrel spacers; 535GRY-1: Tan anodized thumb studs, barrel spacers and a PVD coated blade



535

535SGRY-1

<b>535/535-1</b>	
<b>BLADE LENGTH</b>	3.24" (8.23cm)
<b>BLADE THICKNESS</b>	0.090" (2.286mm)
<b>OPEN</b>	7.46" (18.95cm)
<b>CLOSED</b>	4.22" (10.72cm)
<b>WEIGHT</b>	1.85oz (52.45g)
<b>HANDLE THICKNESS</b>	0.42" (10.668mm)

### CONFIGURATIONS

535	
535S	SERR
535GRY-1	
535SGRY-1	SERR

## 940 FAMILY

OSBORNE DESIGN • U.S.A.



### 940/943



Highly regarded as one of the most quintessential EDCs of all time.

**MECHANISM** AXIS® lock

**BLADE STYLE** 940: Reverse tanto; 943: Clip-point

**BLADE STEEL** 940 & 943: CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** 940: Green anodized 6061-T6 billet aluminum; 943: Black anodized 6061-T6 billet aluminum

**POCKET CLIP** Reversible tip-up standard black oxide

**EXTRA** 940: Purple anodized titanium backspacer; 943: Blue anodized titanium backspacer



940



943SBK

#### CONFIGURATIONS

	940	943
<b>BLADE LENGTH</b>	3.40" (8.64cm)	3.40" (8.64cm)
<b>BLADE THICKNESS</b>	0.115" (2.921mm)	0.115" (2.921mm)
<b>OPEN</b>	7.87" (19.99cm)	7.87" (19.99cm)
<b>CLOSED</b>	4.47" (11.35cm)	4.47" (11.35cm)
<b>WEIGHT</b>	2.90oz (82.21g)	2.90oz (82.21g)
<b>HANDLE THICKNESS</b>	0.41" (10.414mm)	0.41" (10.414mm)

940		
940S	SERR	
940BK		BLACK
940SBK	SERR	BLACK
943		
943S	SERR	
943BK		BLACK
943SBK	SERR	BLACK

## 940 FAMILY

OSBORNE DESIGN • U.S.A.



### 940-1/940-2



Barrel spacers and composite handles make these 940s lighter than ever.

**MECHANISM** AXIS® lock

**BLADE STYLE** Reverse tanto

**BLADE STEEL** 940-1: CPM-S90V super premium stainless steel (59-61HRC); 940-2: CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** 940-1: Carbon fiber with stainless steel liners; 940-2: Black 3D milled G10 with stainless steel liners

**POCKET CLIP** Reversible tip-up standard black oxide

**EXTRA** 940-1: Blue anodized barrel spacers; 940-2: Green anodized barrel spacers



940-1



940S-2

	940-1	940-2
<b>BLADE LENGTH</b>	3.40" (8.64cm)	3.40" (8.64cm)
<b>BLADE THICKNESS</b>	0.115" (2.921mm)	0.115" (2.921mm)
<b>OPEN</b>	7.87" (19.99cm)	7.87" (19.99cm)
<b>CLOSED</b>	4.47" (11.35cm)	4.47" (11.35cm)
<b>WEIGHT</b>	2.44oz (69.17g)	2.65oz (75.13g)
<b>HANDLE THICKNESS</b>	0.44" (11.176mm)	0.44" (11.176mm)

#### CONFIGURATIONS

940-1		
940S-1	SERR	
940-2		
940S-2	SERR	

## 765 MINI TI MONOLOCK

BENCHMADE DESIGN • U.S.A.



Clean lines and premium materials make our Mini Ti Monolock perfect for any occasion.

**MECHANISM** Monolock

**BLADE STYLE** Drop-point

**BLADE STEEL** M390 super premium stainless steel (58-61HRC)

**HANDLE** Machined and sandblasted titanium

**POCKET CLIP** Tip-up or tip-down custom titanium

**EXTRA** Thrust-bearing washers



765

<b>765</b>	
<b>BLADE LENGTH</b>	3.24" (8.23cm)
<b>BLADE THICKNESS</b>	0.115" (2.921mm)
<b>OPEN</b>	7.46" (18.95cm)
<b>CLOSED</b>	4.22" (10.72cm)
<b>WEIGHT</b>	3.16oz (89.58g)
<b>HANDLE THICKNESS</b>	0.41" (10.414mm)

### CONFIGURATION

765

## 781 ANTHEM®

BENCHMADE DESIGN • U.S.A.



The first-ever single-piece, billet titanium AXIS® knife. Cue the music.

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-20CV premium stainless steel (59-61HRC)

**HANDLE** Chevron-patterned, weathered bronze anodized, single-piece billet titanium

**POCKET CLIP** Reversible tip-up custom chevron-patterned and anodized titanium

**EXTRA** Thrust-bearing washers



781

<b>781</b>	
<b>BLADE LENGTH</b>	3.50" (8.89cm)
<b>BLADE THICKNESS</b>	0.112" (2.845mm)
<b>OPEN</b>	8.06" (20.47cm)
<b>CLOSED</b>	4.56" (11.58cm)
<b>WEIGHT</b>	3.66oz (103.76g)
<b>HANDLE THICKNESS</b>	0.43" (10.922mm)

### CONFIGURATIONS

781  
781S SERR

**756 mPR®**  
SIBERT DESIGN • U.S.A.



Shane Sibert's MPR has been reinvented in a new micro format.

**MECHANISM** Monolock

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-20CV premium stainless steel (59-61HRC)

**HANDLE** Sandblasted machined titanium

**POCKET CLIP** Tip-up custom titanium clip with blue sapphire titanium oxide coating

**EXTRA** Blue sapphire titanium oxide coated stainless steel barrel spacers and pivot screw; stainless steel pivot rings; thrust-bearing washers



756

<b>756</b>	
<b>BLADE LENGTH</b>	1.87" (4.75cm)
<b>BLADE THICKNESS</b>	0.124" (3.15mm)
<b>OPEN</b>	4.83" (12.27cm)
<b>CLOSED</b>	2.84" (7.21cm)
<b>WEIGHT</b>	3.51oz (99.51g)
<b>HANDLE THICKNESS</b>	0.45" (11.430mm)

**CONFIGURATION**

756



**485 VALET**  
BENCHMADE DESIGN • U.S.A.



A stylish, comfortable AXIS® gent knife.

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL** M390 super premium stainless steel (58-61HRC)

**HANDLE** Gray contoured G10 with stainless steel liners

**POCKET CLIP** Reversible tip-up silver deep-carry

**EXTRA** Machined G10 backspacer



485

<b>485</b>	
<b>BLADE LENGTH</b>	2.96" (7.52cm)
<b>BLADE THICKNESS</b>	0.100" (2.540mm)
<b>OPEN</b>	6.69" (16.99cm)
<b>CLOSED</b>	3.73" (9.47cm)
<b>WEIGHT</b>	2.18oz (61.80g)
<b>HANDLE THICKNESS</b>	0.45" (11.430mm)

**CONFIGURATIONS**

485  
485S SERR



**698 FORAY®**  
BENCHMADE DESIGN • U.S.A.



The Foray® offers gentstyling in a larger overall profile, translating to improved handling and all-around utility.

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-20CV premium stainless steel (59-61HRC)

**HANDLE** Black contoured G10 with stainless steel liners

**POCKET CLIP** Reversible tip-up silver deep-carry



698

<b>698</b>	
<b>BLADE LENGTH</b>	3.22" (8.18cm)
<b>BLADE THICKNESS</b>	0.137" (3.479mm)
<b>OPEN</b>	7.34" (18.64cm)
<b>CLOSED</b>	4.15" (10.54cm)
<b>WEIGHT</b>	3.58oz (101.49g)
<b>HANDLE THICKNESS</b>	0.56" (14.224mm)

**CONFIGURATIONS**

698  
698S SERR



# NAKAMURA AXIS® FAMILY

NAKAMURA DESIGN • U.S.A.



## 484/484-1



Brings together the best of both worlds: detailed design and functional strength.

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL** 484: M390 super premium stainless steel (58-61HRC); 484-1: CPM-S90V super premium stainless steel (59-61HRC)

**HANDLE** 484: Black contoured G10 with stainless steel liners; 484-1: Contoured carbon fiber with stainless steel liners

**POCKET CLIP** 484: Reversible tip-up silver split-arrow; 484-1: Reversible tip-up black oxide split-arrow

**EXTRA** 484: Stainless steel pivot bushing and barrel spacers; 484-1: Blue anodized aluminum pivot bushing and barrel spacers



484



484-1

	484	484-1
<b>BLADE LENGTH</b>	3.08" (7.82cm)	3.08" (7.82cm)
<b>BLADE THICKNESS</b>	0.114" (2.896mm)	0.114" (2.896mm)
<b>OPEN</b>	7.03" (17.86cm)	7.03" (17.86cm)
<b>CLOSED</b>	3.95" (10.03cm)	3.95" (10.03cm)
<b>WEIGHT</b>	3.52oz (99.79g)	3.28oz (92.99g)
<b>HANDLE THICKNESS</b>	0.57" (14.478mm)	0.57" (14.478mm)

### CONFIGURATIONS

484	
484S	SERR
484-1	
484S-1	SERR

# 486 SAIBU®

NAKAMURA DESIGN • U.S.A.



Saibu, Japanese for details. The latest Seiichi Nakamura collaboration is a showcase piece worthy of even the most discerning pocket.

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-20CV premium stainless steel (59-61HRC)

**HANDLE** Black contoured G10 with stabilized Cocobolo wood inlays

**POCKET CLIP** Reversible tip-up silver mini deep-carry

**EXTRA** Wood-accented thumb studs and custom metal backspacer



486

	486
<b>BLADE LENGTH</b>	2.98" (7.57cm)
<b>BLADE THICKNESS</b>	0.114" (2.896mm)
<b>OPEN</b>	6.79" (17.25cm)
<b>CLOSED</b>	3.82" (9.70cm)
<b>WEIGHT</b>	2.70oz (76.57g)
<b>HANDLE THICKNESS</b>	0.48" (12.19mm)

### CONFIGURATION

486



## PROPER® FAMILY

BENCHMADE DESIGN • U.S.A.

**318/318-1/319/319-1**



Simple and practical, yet with the advanced performance you can expect from a Benchmade.

**MECHANISM** Slip-joint

**BLADE STYLE** 318: Clip-point; 319: Sheepsfoot

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** 318/319: Dark brown canvas micarta; 318-1/319-1: Red contoured G10



319-1

318



## 380 ALLER™ NEW

FAMIN & DEMONGIVERT DESIGN • U.S.A.



Six tools in one, small, package.

**MECHANISM** Friction folder, patent-pending

**BLADE STYLE** Sheepsfoot

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Black G10 with blue base layer

**POCKET CLIP** Custom designed reversible and removable money clip

**EXTRA** Bottle opener, screwdriver/pry tip, and micro bit slot



380

	318/318-1	319/319-1
<b>BLADE LENGTH</b>	2.82" (7.16cm)	2.86" (7.26cm)
<b>BLADE THICKNESS</b>	0.090" (2.286mm)	0.090" (2.286mm)
<b>OPEN</b>	6.65" (16.89cm)	6.69" (16.99cm)
<b>CLOSED</b>	3.85" (9.78cm)	3.85" (9.78cm)
<b>WEIGHT</b>	2.28oz (64.64g)	2.32oz (65.77g)
<b>HANDLE THICKNESS</b>	0.40" (10.160mm)	0.40" (10.160mm)

### CONFIGURATIONS

318
318-1
319
319-1

	380
<b>BLADE LENGTH</b>	1.60" (4.06cm)
<b>BLADE THICKNESS</b>	0.090" (2.286mm)
<b>OPEN</b>	4.48" (11.38cm)
<b>CLOSED</b>	3.30" (8.38cm)
<b>WEIGHT</b>	1.80oz (51.03g)
<b>HANDLE THICKNESS</b>	0.38" (9.65mm)

### CONFIGURATION

380
-----

# BUSHCRAFTER FAMILY

SIBERT DESIGN • U.S.A.



**162**

**162-1**



Unsurpassed reliability for planned (or unplanned) adventures.

**MECHANISM** Fixed blade

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** 162: Hand-blended green and red, contoured G10; 162-1: Hand-blended sand, contoured G10

**SHEATH** 162: Full-grain leather with belt loop and D-ring; 162-1: Molded Kydex® with reversible belt loop

**EXTRA** Pressed titanium handle tubing



**162-1: A survival knife designed in partnership with the world's foremost explosive ordnance technicians. Start a signal fire or cut some C4. It's your call.**

Sheath included. Additional sheaths available for purchase.

	162	162-1
<b>BLADE LENGTH</b>	4.40" (11.18cm)	4.40" (11.18cm)
<b>BLADE THICKNESS</b>	0.164" (4.166mm)	0.164" (4.166mm)
<b>OVERALL LENGTH</b>	9.15" (23.24cm)	9.15" (23.24cm)
<b>WEIGHT</b>	7.72oz (218.86g)	7.72oz (218.86g)
<b>HANDLE THICKNESS</b>	0.92" (23.368mm)	0.92" (23.368mm)
<b>SHEATH WEIGHT</b>	2.70oz (76.54g)	1.86oz (52.73g)

### CONFIGURATIONS

162	GREEN
162-1	TAN

# 200 PUUKKO

BENCHMADE DESIGN • U.S.A.



Combining a classic Finnish silhouette with the modern performance you've come to expect.

**MECHANISM** Fixed blade

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-3V super tough tool steel (57-59HRC)

**HANDLE** Textured ranger green Santoprene®

**SHEATH** Black leather with ferro rod loop and dangler



	200
<b>BLADE LENGTH</b>	3.75" (9.53cm)
<b>BLADE THICKNESS</b>	0.140" (3.556mm)
<b>OPEN</b>	8.25" (20.96cm)
<b>WEIGHT</b>	4.51oz (127.86g)
<b>HANDLE THICKNESS</b>	0.80" (20.32mm)
<b>SHEATH WEIGHT</b>	2.65oz (75.13g)

### CONFIGURATION

200
-----



PERFECTION  
IS  
OUR  
PREY

HUNT SERIES



## 15200 ALTITUDE®

BENCHMADE DESIGN • U.S.A.



Designed for backcountry adventure; for the hunter who counts every ounce. The ultimate lightweight hunting knife features the incredible edge performance of CPM-S90V blade steel and unique carbon fiber micro scales for dexterity and control not typically found in skeletonized knives. The Altitude continues to take hunting performance to new heights.

**MECHANISM** Fixed blade

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S90V super premium stainless steel (59-61HRC)

**HANDLE** DLC coated or orange cerakote with carbon fiber and G10 stacked micro-scales with anodized orange washer

**SHEATH** 15200ORG: First Lite's proprietary Fusion® camo kydex; 15200DLC: Black Boltaron®



15200DLC

15200ORG



A portion of the sale from each 15200ORG will be used to support public lands.



15200ORG sheath features First Lite Fusion camo.



15200DLC



15200ORG

Sheath included

### 15200

BLADE LENGTH	3.08" (7.82cm)
BLADE THICKNESS	0.090" (2.286mm)
OVERALL LENGTH	7.38" (18.75cm)
WEIGHT	1.67oz (47.34g)
HANDLE THICKNESS	0.35" (8.890mm)
SHEATH WEIGHT	0.76oz (21.55g)

### CONFIGURATIONS

15200ORG  
15200DLC

# SADDLE MOUNTAIN SKINNER FAMILY

BENCHMADE DESIGN • U.S.A.



## 15001/15003



"With the Saddle Mountain Skinner I feel like I can break down game or fight off a bear."

—Nate Simmons, The Western Hunter

**MECHANISM** Fixed blade

**BLADE STYLE** 15001: Skinner; 15003: Skinner with hook

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** 15001-1 and 15003-2: Gray and black contoured and textured G10; 15001-2 and 15003-2: Contoured stabilized wood

**SHEATH** 15001-1: Molded Kydex® with reversible belt loop; 15001-2 and 15003-2: Pressure-fit, rich leather with integrated guard



15003-2

15001-1

15001-1 (988687F)

15001-2 (988686F)  
15003-2 (989251F)

Sheath included. Additional sheaths available for purchase.

	15001	15003
<b>BLADE LENGTH</b>	4.17" (10.59cm)	4.17" (10.59cm)
<b>BLADE THICKNESS</b>	0.140" (3.556mm)	0.140" (3.556mm)
<b>HOOK OPENING</b>	-	0.375" (9.525mm)
<b>OVERALL LENGTH</b>	8.73" (22.17cm)	8.73" (22.17cm)
<b>WEIGHT</b>	5.13oz (145.43g) G10 4.65oz (131.83g) Wood	4.70oz (133.24g) Wood
<b>HANDLE THICKNESS</b>	0.58" (14.732mm)	0.58" (14.732mm)
<b>SHEATH WEIGHT</b>	1.85oz (52.45g) Kydex® 1.42oz (40.26g) Leather	1.42oz (40.26g) Leather

### CONFIGURATIONS

15001-1	G10
15001-2	Wood
15003-2	Wood

# 15400 PARDUE HUNTER

PARDUE DESIGN • U.S.A.



An all-around hunting fixed blade built for the outdoors.

**MECHANISM** Fixed blade

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Contoured olive drab and black striped linen micarta

**SHEATH** Pressure-fit rich leather with integrated guard



15400

	15400
<b>BLADE LENGTH</b>	3.48" (8.84cm)
<b>BLADE THICKNESS</b>	0.132" (3.353mm)
<b>OVERALL LENGTH</b>	7.96" (20.22cm)
<b>WEIGHT</b>	5.08oz (144.02g)
<b>HANDLE THICKNESS</b>	0.57" (14.478mm)
<b>SHEATH WEIGHT</b>	2.02oz (57.27g)

### CONFIGURATION

15400

## 15016 HIDDEN CANYON HUNTER

BENCHMADE DESIGN • U.S.A.



A compact knife for those who are looking to save space, it's truly about as much knife as you'll ever need.

**MECHANISM** Fixed blade

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** 15016-1: Gray and black, contoured and textured G10; 15016-2: Contoured stabilized wood

**SHEATH** 15016-1: Molded Kydex® with ambidextrous, horizontal carry, leather belt loop; 15016-2: Pressure-fit, rich leather with ambidextrous, horizontal carry, belt loop



15016-2

15016-1



15016-2 (988829F) 15016-1 (988848F)

Sheath included. Additional sheaths available for purchase.

### CONFIGURATIONS

15016-1	G10
15016-2	Wood

15016	
BLADE LENGTH	2.67" (6.78cm)
BLADE THICKNESS	0.140" (3.556mm)
OVERALL LENGTH	6.32" (16.05cm)
WEIGHT	3.53oz (100.07g) G10 3.19oz (90.43g) Wood
HANDLE THICKNESS	0.58" (14.732mm)
SHEATH WEIGHT	1.38oz (39.12g) Kydex® 1.06oz (30.05g) Leather

## 15100 NESTUCCA CLEAVER

BENCHMADE DESIGN • U.S.A.



Based on the Alaskan ulu, this unique cleaver makes short work of big game.

**MECHANISM** Fixed blade

**BLADE STYLE** Cleaver

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Orange contoured and textured G10

**SHEATH** Brown leather sheath



15100-1

### CONFIGURATION

15100-1
---------

15100	
BLADE LENGTH	4.41" (11.20cm)
BLADE THICKNESS	0.140" (3.556mm)
OVERALL LENGTH	6.58" (16.71cm)
WEIGHT	4.95oz (140.33g)
HANDLE THICKNESS	0.57" (14.478mm)
SHEATH WEIGHT	1.25oz (35.44g)

## STEEP COUNTRY FAMILY

BENCHMADE DESIGN • U.S.A.



### 15008/15009



Designed to hit a hunter's preferences for shape and feel dead-center.

**MECHANISM** Fixed blade

**BLADE STYLE** 15008: Drop-point; 15009: Drop-point with hook

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** 15008-ORG and 15009-ORG: Orange textured high-vis Santoprene®; 15008-BLK: Black textured Santoprene®

**SHEATH** Molded Kydex® with multiple carry positions



15009-ORG

15008-BLK



15008 15009

Sheath included

	15008	15009
BLADE LENGTH	3.50" (8.89cm)	3.50" (8.89cm)
BLADE THICKNESS	0.140" (3.556mm)	0.140" (3.556mm)
HOOK OPENING	-	0.375" (9.525mm)
OVERALL LENGTH	7.65" (19.43cm)	7.65" (19.43cm)
WEIGHT	3.71oz (105.18g)	3.85oz (109.15g)
HANDLE THICKNESS	0.62" (15.748mm)	0.62" (15.748mm)
SHEATH WEIGHT	1.88oz (53.30g)	1.88oz (53.30g)

### CONFIGURATIONS

15008-BLK	BLACK
15008-ORG	ORANGE
15009-ORG	ORANGE

# CROOKED RIVER FAMILY

BENCHMADE DESIGN • U.S.A.



## 15080/15085



A traditional profile with modern technology and style that pushes the preconceived notions of what a hunting knife should be.

**MECHANISM** AXIS® lock

**BLADE STYLE** Clip-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** 15080-1: Gray contoured G10 with anodized aluminum bolsters and stainless steel liners; 15080-2 and 15085-2: Contoured stabilized wood with anodized aluminum bolsters and stainless steel liners

**POCKET CLIP** Reversible tip-up black oxide split-arrow

**EXTRA** Orange G10 backspacer, orange anodized aluminum pivot ring



15080-1

15085-2  
Mini

	15080-1	15085-2
<b>BLADE LENGTH</b>	4.00" (10.16cm)	3.40" (8.64cm)
<b>BLADE THICKNESS</b>	0.124" (3.150mm)	0.114" (2.896mm)
<b>OPEN</b>	9.30" (23.62cm)	7.89" (20.04cm)
<b>CLOSED</b>	5.33" (13.54cm)	4.50" (11.43cm)
<b>WEIGHT</b>	5.41oz (153.37g)	3.29oz (93.27g)
<b>HANDLE THICKNESS</b>	0.60" (15.240mm)	0.52" (13.208mm)

### CONFIGURATIONS

15080-1
15080-2
15085-2

# 15031 NORTH FORK

BENCHMADE DESIGN • U.S.A.



A compact folding AXIS® hunting knife with a recurved blade to assist with processing duties.

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** 15031-1: Gray and black textured G10; 15031-2: Contoured stabilized wood

**POCKET CLIP** Reversible tip-up black oxide split-arrow



15031-1

15031-2

	15031
<b>BLADE LENGTH</b>	2.97" (7.54cm)
<b>BLADE THICKNESS</b>	0.114" (2.989mm)
<b>OPEN</b>	6.87" (17.45cm)
<b>CLOSED</b>	3.90" (9.91cm)
<b>WEIGHT</b>	3.41oz (96.67g) G10 3.16oz (89.58g) Wood
<b>HANDLE THICKNESS</b>	0.53" (13.462mm)

### CONFIGURATIONS

15031-1	G10
15031-2	Wood

## 15060-2 GRIZZLY CREEK

BENCHMADE DESIGN • U.S.A.



The total package for a hunting folder: the **AXIS**® lock, the perfect blade size and shape, and a folding gut hook that's there when you need it.

**MECHANISM** **AXIS**® lock with folding gut hook

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Stabilized wood

**POCKET CLIP** Tip-up black oxide split-arrow



15060-2

### 15060-2

<b>BLADE LENGTH</b>	3.50" (8.89cm)
<b>BLADE THICKNESS</b>	0.124" (3.145mm)
<b>HOOK OPENING</b>	0.50" (12.700mm)
<b>OPEN</b>	7.84" (19.91cm)
<b>CLOSED</b>	4.34" (11.02cm)
<b>WEIGHT</b>	4.76oz (134.94g)
<b>HANDLE THICKNESS</b>	0.56" (14.224mm)

### CONFIGURATION

15060-2

## 15061 GRIZZLY RIDGE®

BENCHMADE DESIGN • U.S.A.



The sure grip and comfort of a dual-durometer handle and a blade designed for all-around hunting utility.

**MECHANISM** **AXIS**® lock

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Orange Grivory® and warm gray overmolded Versaflex®

**POCKET CLIP** Reversible tip-up black oxide split-arrow

**EXTRA** Orange anodized aluminum thumb stud and barrel spacers



15061

### 15061

<b>BLADE LENGTH</b>	3.50" (8.89cm)
<b>BLADE THICKNESS</b>	0.124" (3.154mm)
<b>OPEN</b>	7.84" (19.91cm)
<b>CLOSED</b>	4.34" (11.02cm)
<b>WEIGHT</b>	3.77oz (106.99g)
<b>HANDLE THICKNESS</b>	0.58" (14.732mm)

### CONFIGURATION

15061



## INFIDEL® FAMILY

MCHENRY DESIGN • U.S.A.



### 3300/3350



An incredibly fast, reliable tactical out-the-front, the Infidel® has a cool factor that's hard to describe without experiencing it.

**MECHANISM** Double-action out-the-front automatic

**BLADE STYLE** Double-edge dagger

**BLADE STEEL** D2 tool steel (60-62HRC)

**HANDLE** Black anodized, 6061-T6 billet aluminum

**POCKET CLIP** Gray two-hole tip-down deep-carry

**SHEATH** Cordura® with snap retention and MALICE CLIP®



NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA



Sheath with MALICE CLIP® included

	3300	3350
BLADE LENGTH	3.91" (9.93cm)	3.10" (7.87cm)
BLADE THICKNESS	0.118" (2.997mm)	0.104" (2.642mm)
OPEN	8.91" (22.63cm)	7.10" (18.03cm)
CLOSED	5.00" (12.70cm)	4.00" (10.16cm)
WEIGHT	4.90oz (138.91g)	3.40oz (96.39g)
HANDLE THICKNESS	0.59" (14.986mm)	0.54" (13.716mm)

#### CONFIGURATIONS

3300	
3300BK	BLACK
3350	
3350BK	BLACK



**3320 PAGAN®**  
BENCHMADE DESIGN • U.S.A.



The same incredible mechanism as the Infidel® with smooth handles and a chisel-ground blade.

**MECHANISM** Double-action out-the-front automatic

**BLADE STYLE** Chisel-ground, double-edge dagger

**BLADE STEEL** 154CM stainless steel (58-61HRC)

**HANDLE** Black anodized, 6061-T6 billet aluminum

**POCKET CLIP** Gray two-hole tip-down deep-carry

**SHEATH** Cordura® with snap retention and MALICE CLIP®



3320BK



Sheath with MALICE CLIP® included

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

3320	
BLADE LENGTH	3.96" (10.06cm)
BLADE THICKNESS	0.100" (2.540mm)
OPEN	8.96" (22.76cm)
CLOSED	5.00" (12.70cm)
WEIGHT	5.11oz (144.87g)
HANDLE THICKNESS	0.60" (15.240mm)

CONFIGURATIONS	
3320	BLACK

**PHAETON® FAMILY**  
BENCHMADE DESIGN • U.S.A.



This spine-fire OTF combines speed and style in a semi-tactical every day carry.

**MECHANISM** Double-action out-the-front automatic

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** 4600: Black anodized, 6061-T6 billet aluminum; 4600-1: Bronze anodized 6061-T6 billet aluminum

**POCKET CLIP** Reversible black oxide deep-carry



4600

4600DLC-1

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

4600/4600-1	
BLADE LENGTH	3.45" (8.76cm)
BLADE THICKNESS	0.112" (2.845mm)
OPEN	8.08" (20.52cm)
CLOSED	4.63" (11.76cm)
WEIGHT	3.01oz (85.33g)
HANDLE THICKNESS	0.47" (11.938mm)

CONFIGURATIONS

4600	BLACK
4600-1	BRONZE
4600DLC-1	BLACK
	BRONZE

**4700 PRECIPICE®**  
BENCHMADE DESIGN • U.S.A.



A sleek, spine-fire OTF. Stealth-like handles and rock-solid performance.

**MECHANISM** Double-action out-the-front automatic

**BLADE STYLE** Spear-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Black anodized, 6061-T6 billet aluminum

**POCKET CLIP** Reversible black oxide deep-carry



4700

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

4700	
BLADE LENGTH	3.45" (8.76cm)
BLADE THICKNESS	0.124" (3.149mm)
OPEN	8.23" (20.90cm)
CLOSED	4.78" (12.14cm)
WEIGHT	3.31oz (93.84g)
HANDLE THICKNESS	0.47" (11.938mm)

CONFIGURATIONS	
4700	BLACK

## 2750 AUTO ADAMAS®

SIBERT DESIGN • U.S.A.



The strongest AXIS® knife ever made.

**MECHANISM** Auto AXIS® lock with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL** D2 tool steel (60-62HRC)

**HANDLE** Sand or black G10 with stainless steel liners

**POCKET CLIP** Reversible tip-up black oxide deep-carry

**SHEATH** Cordura® with snap retention and MALICE CLIP®



2750BKSN

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA



Benchmade Knife Company is proud to donate a portion of the proceeds from the sale of these knives to the Three Rangers Foundation and Navy SEAL Foundation.



Sheath with MALICE CLIP® included

### 2750

<b>BLADE LENGTH</b>	3.82" (9.70cm)
<b>BLADE THICKNESS</b>	0.160" (4.064mm)
<b>OVERALL LENGTH</b>	8.70" (22.10cm)
<b>CLOSED</b>	4.88" (12.40cm)
<b>WEIGHT</b>	7.54oz (213.76g)
<b>HANDLE THICKNESS</b>	0.73" (18.542mm)
<b>SHEATH WEIGHT</b>	1.50oz (42.52g)

### CONFIGURATIONS

2750BK	BLACK
2750SBK	SERR BLACK
2750BKS	BLACK
2750BKS	BLACK
2750SBKS	SERR BLACK

## AUTO PRESIDIO® II FAMILY

BENCHMADE DESIGN • U.S.A.



### 5700/5750



A combat legend receives significant ergonomic and performance upgrades. Faster. Better. Stronger.

**MECHANISM** Auto AXIS® lock with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Black anodized, 6061-T6 billet aluminum

**POCKET CLIP** Reversible tip-up black oxide deep-carry

**SHEATH** 5700: Cordura® with snap retention and MALICE CLIP®



5700

5750SBK Mini

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA



Sheath with MALICE CLIP® included

### 5700

<b>BLADE LENGTH</b>	3.72" (9.45cm)
<b>BLADE THICKNESS</b>	0.140" (3.149mm)
<b>OPEN</b>	8.72" (22.15cm)
<b>CLOSED</b>	5.00" (12.70cm)
<b>WEIGHT</b>	6.32oz (179.17g)
<b>HANDLE THICKNESS</b>	0.63" (16.007mm)

### 5750

<b>BLADE LENGTH</b>	3.20" (8.13cm)
<b>BLADE THICKNESS</b>	0.114" (2.896mm)
<b>OPEN</b>	7.48" (19.00cm)
<b>CLOSED</b>	4.34" (11.02cm)
<b>WEIGHT</b>	4.13oz (117.08g)
<b>HANDLE THICKNESS</b>	0.56" (14.224mm)

### CONFIGURATIONS

5700	
5700SBK	SERR BLACK
5750	
5750BK	BLACK
5750SBK	SERR BLACK

# AUTO TRIAGE® FAMILY

BENCHMADE DESIGN • U.S.A.

## 9160/9170



A triple utility tool that includes a knife, safety hook and glass breaker.

**MECHANISM** Auto AXIS® lock with integrated safety

**BLADE STYLE** 9170: Drop-point; 9160: Opposing bevel

**BLADE STEEL** N680 ultra stainless steel (57-59HRC)

**HANDLE** Black anodized, 6061-T6 billet aluminum with textured G10 inlays (available in black or safety orange)

**POCKET CLIP** Tip-up black oxide deep-carry

**EXTRA** 440C automatic-opening rescue hook (58-60HRC), carbide glass breaker



9170SBK-ORG

9160SBK



Carbide glass breaker

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

	9170	9160
<b>BLADE LENGTH</b>	3.58" (9.09cm)	3.35" (8.51cm)
<b>HOOK OPENING</b>	0.50" (12.700mm)	0.50" (12.700mm)
<b>BLADE THICKNESS</b>	0.124" (3.150mm)	0.124" (3.150mm)
<b>OPEN</b>	8.31" (21.11cm)	8.08" (20.52cm)
<b>CLOSED</b>	4.73" (12.01cm)	4.73" (12.01cm)
<b>WEIGHT</b>	5.75oz (163.01g)	5.58oz (158.19g)
<b>HANDLE THICKNESS</b>	0.58" (14.732mm)	0.58" (14.732mm)

### CONFIGURATIONS

9170BK	BLACK
9170SBK	SERR BLACK
9170BK-ORG	BLACK
9170SBK-ORG	SERR BLACK
9160SBK	SERR BLACK

# 8600 AUTO BEDLAM®

BENCHMADE DESIGN • U.S.A.



Looks like a scimitar because it was originally designed for the security forces of a king.

**MECHANISM** Auto AXIS® lock with integrated safety

**BLADE STYLE** Scimitar

**BLADE STEEL** 154CM stainless steel (58-61HRC)

**HANDLE** Black contoured and textured G10 with stainless steel liners

**POCKET CLIP** Reversible tip-up black oxide deep-carry



8600SBK

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

### 8600

<b>BLADE LENGTH</b>	4.00" (10.16cm)
<b>BLADE THICKNESS</b>	0.121" (3.073mm)
<b>OPEN</b>	9.76" (24.79cm)
<b>CLOSED</b>	5.76" (14.63cm)
<b>WEIGHT</b>	7.30oz (206.95g)
<b>HANDLE THICKNESS</b>	0.60" (15.240mm)

### CONFIGURATIONS

8600BK	BLACK
8600SBK	SERR BLACK

# 9555 AUTO RIFT®

OSBORNE DESIGN • U.S.A.



A reverse tanto, large-bellied blade for strength and utility, and textured G10 handle scales for a secure grip.

**MECHANISM** Auto AXIS® lock with integrated safety

**BLADE STYLE** Reverse tanto

**BLADE STEEL** 154CM stainless steel (58-61HRC)

**HANDLE** Black textured G10 with stainless steel liners

**POCKET CLIP** Reversible tip-up black oxide split-arrow



9555SBK

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

### 9555

<b>BLADE LENGTH</b>	3.67" (9.32cm)
<b>BLADE THICKNESS</b>	0.114" (2.896mm)
<b>OPEN</b>	8.27" (21.01cm)
<b>CLOSED</b>	4.60" (11.68cm)
<b>WEIGHT</b>	4.95oz (140.33g)
<b>HANDLE THICKNESS</b>	0.56" (14.224mm)

### CONFIGURATIONS

9555	
9555SBK	SERR BLACK

## AFO II FAMILY

BENCHMADE DESIGN • U.S.A.



### 9051/9052



The AFO-II push-button auto has become a proven tool used in all branches of the Armed Forces.

**MECHANISM** Push-button automatic with integrated safety

**BLADE STYLE** 9051: Drop-point; 9052: Tanto

**BLADE STEEL** 154CM stainless steel (58-61HRC)

**HANDLE** Black anodized, 6061-T6 billet aluminum

**POCKET CLIP** Multi-position reversible, tip-up or tip-down standard black oxide

**SHEATH** Cordura® with snap retention and MALICE CLIP®



9052

9051SBK

Sheath included

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

	9051	9052
<b>BLADE LENGTH</b>	3.56" (9.04cm)	3.56" (9.04cm)
<b>BLADE THICKNESS</b>	0.124" (3.150mm)	0.124" (3.150mm)
<b>OPEN</b>	8.51" (21.62cm)	8.51" (21.62cm)
<b>CLOSED</b>	4.95" (12.57cm)	4.95" (12.57cm)
<b>WEIGHT</b>	5.83oz (165.28g)	5.71oz (161.88g)
<b>HANDLE THICKNESS</b>	0.60" (15.240mm)	0.60" (15.240mm)

#### CONFIGURATIONS

9051		
9051BK		BLACK
9051SBK	SERR	BLACK
9052		
9052BK		BLACK
9052SBK	SERR	BLACK

## AUTO STRYKER® FAMILY

BENCHMADE DESIGN • U.S.A.



### 9101 9501



The next-generation Auto Strykers® are upgraded for increased function and reliability.

**MECHANISM** Push-button automatic with integrated safety

**BLADE STYLE** Tanto

**BLADE STEEL** 154CM stainless steel (58-61HRC)

**HANDLE** Black anodized, 6061-T6 billet aluminum

**POCKET CLIP** 9101: Multi-position tip-up or tip-down standard black oxide; 9501: Tip-up standard black oxide



9101BK

9501SBK  
Mini

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

	9101	9501
<b>BLADE LENGTH</b>	3.60" (9.14 cm)	2.95" (7.49cm)
<b>BLADE THICKNESS</b>	0.124" (3.150mm)	0.098" (2.489mm)
<b>OPEN</b>	8.30" (21.08cm)	7.21" (18.31cm)
<b>CLOSED</b>	4.70" (11.94cm)	4.26" (10.82cm)
<b>WEIGHT</b>	4.20oz (119.07g)	2.91oz (82.50g)
<b>HANDLE THICKNESS</b>	0.50" (12.700mm)	0.47" (11.938mm)

#### CONFIGURATIONS

9101BK		BLACK
9101SBK	SERR	BLACK
9501BK		BLACK
9501SBK	SERR	BLACK

## 9600 RUKUS II

BENCHMADE DESIGN • U.S.A.



The same comfortable ergonomics, back again and rowdy as ever.

**MECHANISM** Push-button automatic with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Black anodized, 6061-T6 billet aluminum

**POCKET CLIP** Reversible tip-up black oxide split-arrow



9600SBK

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

	9600
<b>BLADE LENGTH</b>	3.40" (8.64cm)
<b>BLADE THICKNESS</b>	0.124" (3.150mm)
<b>OPEN</b>	8.50" (21.59cm)
<b>CLOSED</b>	5.10" (12.95cm)
<b>WEIGHT</b>	4.94oz (140.05g)
<b>HANDLE THICKNESS</b>	0.62" (15.748mm)

#### CONFIGURATIONS

9600BK		BLACK
9600SBK	SERR	BLACK

## 2551 MINI REFLEX II

BENCHMADE DESIGN • U.S.A.



The Reflex gets an upgrade with an enlarged button and increased reliability.

**MECHANISM** Push-button automatic with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL** 154CM stainless steel (58-61HRC)

**HANDLE** Black anodized, 6061-T6 billet aluminum

**POCKET CLIP** Tip-up standard black oxide



2551

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

### 2551

BLADE LENGTH	3.17" (8.05cm)
BLADE THICKNESS	0.097" (2.464mm)
OPEN	7.34" (18.64cm)
CLOSED	4.17" (10.59cm)
WEIGHT	2.58oz (73.14g)
HANDLE THICKNESS	0.48" (12.192mm)

### CONFIGURATIONS

2551	BLACK
2551SBK	SERR BLACK

## 9750 COALITION®

BENCHMADE DESIGN • U.S.A.



An alliance between aircraft-grade alloy and tractable G10 make for a reliable, positive grip.

**MECHANISM** Push-button automatic with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Dark gray anodized, 6061-T6 billet aluminum with black G10 inlay

**POCKET CLIP** Reversible tip-up black oxide deep-carry



9750

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

### 9750

BLADE LENGTH	2.87" (7.29cm)
BLADE THICKNESS	0.100" (2.540mm)
OPEN	6.78" (17.22cm)
CLOSED	3.91" (9.93cm)
WEIGHT	2.63oz (74.56g)
HANDLE THICKNESS	0.53" (13.460mm)

### CONFIGURATIONS

9750	BLACK
9750BK	BLACK
9750SBK	SERR BLACK

## 3551 STIMULUS

PARDUE DESIGN • U.S.A.



The 3550 gets an upgrade with an enlarged button and increased reliability.

**MECHANISM** Push-button automatic with integrated safety

**BLADE STYLE** Spear-point

**BLADE STEEL** 154CM stainless steel (58-61HRC)

**HANDLE** Black anodized, 6061-T6 billet aluminum

**POCKET CLIP** Tip-up or tip-down standard black oxide



3551

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

### 3551

BLADE LENGTH	2.99" (7.59cm)
BLADE THICKNESS	0.088" (2.235mm)
OPEN	7.09" (18.00cm)
CLOSED	4.10" (10.41cm)
WEIGHT	2.71oz (76.83g)
HANDLE THICKNESS	0.46" (11.684mm)

### CONFIGURATIONS

3551	BLACK
3551BK	BLACK
3551SBK	SERR BLACK

## 3150 IMPEL®

LERCH DESIGN • U.S.A.



This small automatic gent knife is packed with premium features.

**MECHANISM** Push-button automatic with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** 6061-T6 billet aluminum with textured black G10 inlays

**POCKET CLIP** Tip-down silver



3150

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

### 3150

BLADE LENGTH	1.98" (5.03cm)
BLADE THICKNESS	0.100" (2.540mm)
OPEN	5.04" (12.80cm)
CLOSED	3.06" (7.77cm)
WEIGHT	1.39oz (39.41g)
HANDLE THICKNESS	0.35" (8.890mm)

### CONFIGURATIONS

3150	BLACK
3150BK	BLACK

## CLA FAMILY

BENCHMADE DESIGN • U.S.A.



### 4300/4300-1



A classy, all-purpose G10 auto for any occasion, formal to tactical.

**MECHANISM** Push-button automatic with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL** 154CM stainless steel (58-61HRC)

**HANDLE** 4300: Black contoured G10; 4300-1: Green and black contoured and textured G10

**POCKET CLIP** Reversible tip-up black oxide deep-carry



4300SBK

4300-1

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

	4300	4300-1
<b>BLADE LENGTH</b>	3.40" (8.64cm)	3.40" (8.64cm)
<b>BLADE THICKNESS</b>	0.114" (2.896mm)	0.114" (2.896mm)
<b>OPEN</b>	7.85" (19.94cm)	7.85" (19.94cm)
<b>CLOSED</b>	4.45" (11.30cm)	4.45" (11.30cm)
<b>WEIGHT</b>	3.47oz (98.37g)	3.60oz (102.06g)
<b>HANDLE THICKNESS</b>	0.49" (12.446mm)	0.49" (12.446mm)

CONFIGURATIONS		
4300		
4300BK	BLACK	
4300SBK	SERR	BLACK
4300-1		
4300SBK-1	SERR	BLACK

## CASBAH® FAMILY

BENCHMADE DESIGN • U.S.A.



### 4400/4400-1



Quick auto-action in a high-traction, lightweight, composite handle.

**MECHANISM** Push-button automatic with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** 4400: Black textured Grivory® with stainless steel liners; 4400-1: Blue textured Grivory® with stainless steel liners

**POCKET CLIP** Reversible tip-up black oxide deep-carry



4400-1

4400SBK

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

	4400/4400-1
<b>BLADE LENGTH</b>	3.40" (8.64cm)
<b>BLADE THICKNESS</b>	0.114" (2.896mm)
<b>OPEN</b>	7.80" (19.81cm)
<b>CLOSED</b>	4.40" (11.18cm)
<b>WEIGHT</b>	3.43oz (97.24g)
<b>HANDLE THICKNESS</b>	0.59" (14.986mm)

CONFIGURATIONS		
4400		
4400BK	BLACK	
4400SBK	SERR	BLACK
4400-1		
4400SBK-1	SERR	BLACK

## 407 VALLATION®

BENCHMADE DESIGN • U.S.A.



Your new EDC, on and off the job.

**MECHANISM** AXIS® Assist with integrated safety

**BLADE STYLE** Drop-point with mohawk spine

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Black anodized, 6061-T6 billet aluminum

**POCKET CLIP** Reversible tip-up black oxide deep-carry

**EXTRA** Carbide tipped glass breaker



## 417 FACT®

BENCHMADE DESIGN • U.S.A.



Slim and purpose-built for duty; ask anyone...

**MECHANISM** AXIS® lock

**BLADE STYLE** Spear-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Skeletonized black anodized, 6061-T6 billet aluminum

**POCKET CLIP** Reversible tip-up DLC coated deep-carry



407



417

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

	<b>407</b>
<b>BLADE LENGTH</b>	3.70" (9.40cm)
<b>BLADE THICKNESS</b>	0.124" (3.150mm)
<b>OPEN</b>	8.76" (22.25cm)
<b>CLOSED</b>	5.09" (12.93cm)
<b>WEIGHT</b>	6.38oz (180.87g)
<b>HANDLE THICKNESS</b>	0.70" (17.700mm)

<b>CONFIGURATIONS</b>	
407	
407SBK	BLACK

	<b>417</b>
<b>BLADE LENGTH</b>	3.95" (10.03cm)
<b>BLADE THICKNESS</b>	0.110" (2.794mm)
<b>OPEN</b>	8.72" (22.15cm)
<b>CLOSED</b>	4.77" (12.12cm)
<b>WEIGHT</b>	3.24oz (91.85g)
<b>HANDLE THICKNESS</b>	0.48" (12.192mm)

<b>CONFIGURATIONS</b>	
417	
417BK	BLACK

## 818 MINI LOCO

BENCHMADE DESIGN • U.S.A.



A truly robust tactical knife with refined, custom-styled hardware.

**MECHANISM** AXIS® lock

**BLADE STYLE** Reverse tanto

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Black contoured G10 with stainless steel liners

**POCKET CLIP** Reversible tip-up black oxide deep-carry

**EXTRA** Custom-styled hardware



818

818	
BLADE LENGTH	3.36" (8.53cm)
BLADE THICKNESS	0.144" (3.658mm)
OPEN	7.62" (19.34cm)
CLOSED	4.38" (11.13cm)
WEIGHT	4.47oz (126.72g)
HANDLE THICKNESS	0.59" (14.986mm)

### CONFIGURATIONS

818	
818BK	BLACK

## 860 MANUAL BEDLAM®

BENCHMADE DESIGN • U.S.A.



Looks like a scimitar because it was originally designed for the security forces of a king.

**MECHANISM** AXIS® lock

**BLADE STYLE** Scimitar

**BLADE STEEL** 154CM stainless steel (58-61HRC)

**HANDLE** Black contoured and textured G10 with stainless steel liners

**POCKET CLIP** Reversible tip-up black oxide deep-carry



860SBK

860	
BLADE LENGTH	4.00" (10.16cm)
BLADE THICKNESS	0.121" (3.073mm)
OPEN	9.76" (24.79cm)
CLOSED	5.76" (14.63cm)
WEIGHT	7.20oz (204.12g)
HANDLE THICKNESS	0.60" (15.240mm)

### CONFIGURATIONS

860	
860SBK	SERR BLACK

## 737 AILERON®

TARANI DESIGN • U.S.A.



Speed, control, and balance are the key factors in this Steve Tarani designed AXIS® lock folder.

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Textured black G10

**POCKET CLIP** Reversible tip-up black oxide deep-carry

**EXTRA** Laser-textured blade grip



737SBK

737	
BLADE LENGTH	3.43" (8.76cm)
BLADE THICKNESS	0.120" (3.048mm)
OPEN	8.03" (20.40cm)
CLOSED	4.58" (11.36cm)
WEIGHT	4.24oz (120.20g)
HANDLE THICKNESS	0.54" (13.720mm)

### CONFIGURATIONS

737	
737SBK	SERR BLACK



## 275 MANUAL ADAMAS®

SIBERT DESIGN • U.S.A.



The strongest AXIS® knife ever made.

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL** D2 tool steel (60-62HRC)

**HANDLE** Sand or black G10 with stainless steel liners

**POCKET CLIP** Reversible tip-up black oxide deep-carry

**SHEATH** Cordura® with snap retention and MALICE CLIP®



275BK

275SBKSN



Sheath with MALICE CLIP® included



Benchmade Knife Company is proud to donate a portion of the proceeds from the sale of these knives to the Three Rangers Foundation and Navy SEAL Foundation.

### 275

<b>BLADE LENGTH</b>	3.82" (9.70cm)
<b>BLADE THICKNESS</b>	0.160" (4.064mm)
<b>OVERALL LENGTH</b>	8.70" (22.10cm)
<b>CLOSED</b>	4.88" (12.40cm)
<b>WEIGHT</b>	7.68oz (217.72g)
<b>HANDLE THICKNESS</b>	0.73" (18.542mm)
<b>SHEATH WEIGHT</b>	1.50oz (42.52g)

### CONFIGURATIONS

275BK	BLACK
275SBK	SERR BLACK
275BKSN	BLACK
275SBKSN	SERR BLACK

## MANUAL PRESIDIO® II FAMILY

BENCHMADE DESIGN • U.S.A.



### 570/575



A combat legend receives significant ergonomic and performance upgrades. **Faster. Better. Stronger.**

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Black anodized, 6061-T6 billet aluminum

**POCKET CLIP** Reversible tip-up black oxide deep-carry



570

575SBK Mini

### 570

<b>BLADE LENGTH</b>	3.72" (9.45cm)
<b>BLADE THICKNESS</b>	0.124" (3.149mm)
<b>OPEN</b>	8.72" (22.15cm)
<b>CLOSED</b>	5.00" (12.70cm)
<b>WEIGHT</b>	6.10oz (172.93g)
<b>HANDLE THICKNESS</b>	0.63" (16.002mm)

### 575

<b>BLADE LENGTH</b>	3.20" (8.13cm)
<b>BLADE THICKNESS</b>	0.114" (2.896mm)
<b>OPEN</b>	7.48" (19.00cm)
<b>CLOSED</b>	4.34" (11.02cm)
<b>WEIGHT</b>	3.99oz (113.11g)
<b>HANDLE THICKNESS</b>	0.56" (14.224mm)

### CONFIGURATIONS

570	
570SBK	SERR BLACK
575	
575BK	BLACK
575SBK	SERR BLACK

## 810 CONTEGO

OSBORNE DESIGN • U.S.A.



A large, aggressively styled tactical knife with a glass breaker on the pommel.

**MECHANISM** AXIS® lock

**BLADE STYLE** Reverse tanto

**BLADE STEEL** CPM-M4 super steel (62-64HRC)

**HANDLE** Black textured G10 with stainless steel liners

**POCKET CLIP** Reversible tip-up black oxide deep-carry

**EXTRA** Carbide glass breaker



810SBK



Carbide glass breaker

### 810

<b>BLADE LENGTH</b>	3.98" (10.11cm)
<b>BLADE THICKNESS</b>	0.156" (3.962mm)
<b>OPEN</b>	9.28" (23.57cm)
<b>CLOSED</b>	5.30" (13.46cm)
<b>WEIGHT</b>	5.92oz (167.83g)
<b>HANDLE THICKNESS</b>	0.55" (13.970mm)

### CONFIGURATIONS

810	GRAY
810BK	BLACK
810SBK	SERR BLACK

## 950 MANUAL RIFT®

OSBORNE DESIGN • U.S.A.



A reverse-tanto, large-bellied blade for strength and utility, and textured G10 handle scales for a secure grip.

**MECHANISM** AXIS® lock

**BLADE STYLE** Reverse tanto

**BLADE STEEL** 154CM stainless steel blade (58-61HRC)

**HANDLE** Gray and black textured G10 with stainless steel liners

**POCKET CLIP** Reversible tip-up black oxide split-arrow



950

### 950

<b>BLADE LENGTH</b>	3.67" (9.32cm)
<b>BLADE THICKNESS</b>	0.114" (2.896mm)
<b>OPEN</b>	8.27" (21.01cm)
<b>CLOSED</b>	4.60" (11.68cm)
<b>WEIGHT</b>	4.80oz (136.08g)
<b>HANDLE THICKNESS</b>	0.56" (14.224mm)

### CONFIGURATIONS

950	
950BK	BLACK
950SBK	SERR BLACK

## 980 TURRET® NEW

BENCHMADE DESIGN • U.S.A.



One of the strongest locks in Benchmade history, this knife is made for the long haul.

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Olive drab G10 with stainless steel liners

**POCKET CLIP** Reversible tip-up black oxide deep-carry

**EXTRA** Black anodized steel barrel spacers




980SBK

### 980


<b>BLADE LENGTH</b>	3.70" (9.40cm)
<b>BLADE THICKNESS</b>	0.124" (3.150mm)
<b>OPEN</b>	8.60" (21.84cm)
<b>CLOSED</b>	4.90" (12.45cm)
<b>WEIGHT</b>	5.81oz (164.71g)
<b>HANDLE THICKNESS</b>	0.67" (17.020mm)

### CONFIGURATIONS

980	
980SBK	SERR BLACK



The next generation of the ultra strong, ambidextrous AXIS® lock. When versatility is key, the patent-pending OPTION™ lock gives the advantage of having two different blades using the same mechanism; without compromising lockup strength or ease of use.



The Outlast™ is the first Benchmade® to receive the Option lock. A knife designed for rescue personnel, affording purpose-built, functional versatility for the extreme demands of the job.

## 365 OUTLAST™ NEW

BENCHMADE DESIGN • U.S.A.



We've combined the strength and versatility of the AXIS® lock with two blades, giving you the flexibility needed to get the job done.

**MECHANISM** Option™ lock

**BLADE STYLE** Drop-point and full serrated opposing bevel

**BLADE STEEL** Drop-point: CPM-S30V premium stainless steel (58-60HRC); Opposing bevel: CPM-3V super tough tool steel (57-59HRC)

**HANDLE** Black textured G10

**POCKET CLIP** Reversible tip-up black oxide deep-carry

**EXTRA** 440C rescue hook (58-60HRC), and carbide glass breaker



365BK



Carbide glass breaker



Integrated O2 wrench

	365 Drop-Point	Opposing Bevel
<b>BLADE LENGTH</b>	3.59" (9.12cm)	3.15" (8.00cm)
<b>BLADE THICKNESS</b>	0.090" (2.286mm)	0.105" (2.667cm)
<b>OPEN</b>	8.41" (21.36cm)	7.96" (20.22cm)
<b>HOOK OPENING</b>	0.50" (12.700mm)	
<b>CLOSED</b>	4.82" (12.24cm)	
<b>WEIGHT</b>	5.96oz (168.96g)	
<b>HANDLE THICKNESS</b>	0.69" (17.53mm)	

### CONFIGURATION

365BK SERR BLACK

## 916 TRIAGE®

BENCHMADE DESIGN • U.S.A.



A triple utility tool that includes a knife, safety hook and glass breaker.

**MECHANISM** AXIS® lock

**BLADE STYLE** Opposing bevel

**BLADE STEEL** N680 ultra stainless steel (57-59HRC)

**HANDLE** Textured G10 (available in black or safety orange) with stainless steel liners

**POCKET CLIP** Reversible tip-up black oxide deep-carry

**EXTRA** 440C rescue hook (58-60HRC), and carbide glass breaker



916SBK

916SBK-ORG



Carbide glass breaker

916	
BLADE LENGTH	3.40" (8.64cm)
HOOK OPENING	0.50" (12.700mm)
BLADE THICKNESS	0.124" (3.15mm)
OPEN	8.25" (20.96cm)
CLOSED	4.85" (12.32cm)
WEIGHT	5.24oz (148.55g)
HANDLE THICKNESS	0.45" (11.430mm)

### CONFIGURATIONS

916SBK	SERR	BLACK
916SBK-ORG	SERR	BLACK

## 917 TACTICAL TRIAGE®

BENCHMADE DESIGN • U.S.A.



The newest member of the Triage family, designed for rescue and other mission objectives.

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Black contoured G10 with stainless steel liners

**POCKET CLIP** Reversible tip-up black oxide deep-carry

**EXTRA** 440C rescue hook (58-60HRC), and carbide glass breaker



917SBK



Carbide glass breaker

917	
BLADE LENGTH	3.48" (8.84cm)
HOOK OPENING	0.50" (12.700mm)
BLADE THICKNESS	0.124" (3.15mm)
OPEN	8.33" (21.16cm)
CLOSED	4.85" (12.32cm)
WEIGHT	5.28oz (149.69g)
HANDLE THICKNESS	0.55" (13.970mm)

### CONFIGURATIONS

917		
917BK		BLACK
917SBK	SERR	BLACK

**SOCP® FAMILY**  
THOMPSON DESIGN • U.S.A.

**176/178**



Designed for the Special Operations Combatives Program, it's the optimal tool for self-defense.

**MECHANISM** Fixed blade

**BLADE STYLE** 176: Double-edged dagger; 178: Spear-point

**BLADE STEEL** 440C stainless steel (58-60HRC)

**HANDLE** Black coated single-piece with finger ring

**SHEATH** MOLLE® compatible, MALICE CLIP® free, injection molded in black or sand with lanyard hole and dip-coated clip

**EXTRA** Combo kits with trainer available



CHECK YOUR STATE LAWS REGARDING THIS KNIFE



176BK

178SBK



Sand sheath (987496F)



Black sheath (987495F)

Sheath included. Additional sheaths available for purchase.

**CONFIGURATIONS**

176BK Dagger & black sheath	BLACK
176BKSN Dagger & sand sheath	BLACK
176BK-COMBO Dagger & black sheath with trainer	BLACK
176BKSN-COMBO Dagger & sand sheath with trainer	BLACK
178SBK Spear-point & black sheath	SERR BLACK
178SBKSN Spear-point & sand sheath	SERR BLACK
178SBK-COMBO Spear-point & black sheath with trainer	SERR BLACK
178SBKSN-COMBO Spear-point & sand sheath with trainer	SERR BLACK

	176 DAGGER	178 SPEAR-POINT
BLADE LENGTH	3.22" (8.18cm)	3.22" (8.18cm)
HANDLE LENGTH	4.03" (10.24cm)	4.03" (10.24cm)
OVERALL LENGTH	7.25" (18.42cm)	7.25" (18.42cm)
THICKNESS	0.175" (4.445mm)	0.175" (4.445mm)
WEIGHT	2.12oz (60.10g)	2.04oz (57.83g)
SHEATH WEIGHT	1.04oz (29.48g)	1.04oz (29.48g)

**SOCP® FAMILY**  
THOMPSON DESIGN • U.S.A.

**176T**



**179**



Designed for rescue professionals and less-than lethal self-defense.

**MECHANISM** Fixed blade

**BLADE STYLE** 176T: Trainer; 179: Rescue hook with carbide glass breaker and oxygen wrench

**BLADE STEEL** 440C stainless steel (58-60HRC)

**HANDLE** Coated single-piece tool with finger ring

**SHEATH** MOLLE® compatible, MALICE CLIP® free, injection molded in black or sand with lanyard hole and dip-coated clip

**EXTRA** Combo kits with trainer available



179GRY  
Includes the Benchmade Rescue hook design, carbide glass breaker, and an O<sub>2</sub> wrench



176T  
Training is key to the SOCP program. All SOCP knives are available as a combo with a trainer.



Sand sheath (987496F)



Black sheath (987495F)

Sheath included. Additional sheaths available for purchase.

**CONFIGURATIONS**

176T Trainer with sheath	RED
179GRY Hook & black sheath	GRAY
179GRYSN Hook & sand sheath	GRAY
179GRY-COMBO Hook & black sheath with trainer	GRAY
179GRYSN-COMBO Hook & sand sheath with trainer	GRAY

	176 TRAINER	179 HOOK
BLADE LENGTH	2.78" (7.06cm)	0.375" (9.525mm)
HANDLE LENGTH	4.03" (10.24cm)	4.03" (10.24cm)
OVERALL LENGTH	6.81" (17.30cm)	6.75" (17.15cm)
THICKNESS	0.175" (4.446mm)	0.175" (4.446mm)
WEIGHT	2.58oz (73.14g)	1.88oz (53.30g)
SHEATH WEIGHT	1.04oz (29.48g)	1.04oz (29.48g)

**125 AZERIA®**  
BENCHMADE DESIGN • U.S.A.



When bad days get worse, it's good to have back-up plans.

**MECHANISM** Fixed blade

**BLADE STYLE** Wharncliffe with angled profile

**BLADE STEEL** N680 ultra stainless steel (57-59HRC)

**HANDLE** Black Grivory®

**SHEATH** Low-profile, molded with ambidextrous clip designed for duty belts; features anti-assailant retention device



125BK



Sheath reverse

**125BK**

BLADE LENGTH	2.90" (7.37cm)
BLADE THICKNESS	0.114" (2.896mm)
OVERALL LENGTH	5.64" (14.33cm)
WEIGHT	2.37oz (67.19g)
HANDLE THICKNESS	0.55" (13.970cm)
SHEATH WEIGHT	1.81oz (51.31g)

**CONFIGURATION**

125BK	BLACK
-------	-------

**101 FOLLOW-UP®**  
BENCHMADE DESIGN • U.S.A.



However you wear it, this small, convenient fixed blade is at the top of the curriculum for back-up on bad days; hence the numeric designation.

**MECHANISM** Fixed blade

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Coated skeletonized handle with optional paracord wrap included

**SHEATH** Black Boltaron®



101BK



Handle wrap option

**101**

BLADE LENGTH	2.60" (6.60cm)
HANDLE LENGTH	3.39" (8.61cm)
OVERALL LENGTH	5.99" (15.21cm)
WEIGHT	2.03oz (57.55g)
HANDLE THICKNESS	0.140" (3.656mm)
SHEATH WEIGHT	0.62oz (17.58g)

**CONFIGURATION**

101BK	BLACK
-------	-------

**175 CBK**  
BENCHMADE DESIGN • U.S.A.



A tool designed for combat-type applications.

**MECHANISM** Fixed blade

**BLADE STYLE** Chisel-ground, double-edge dagger

**BLADE STEEL** 440C stainless steel (58-60HRC)

**HANDLE** Rubber-dipped

**SHEATH** Injection-molded multi-position carry



175BKSN

175BK

175BK Sheath (982397F)

175BKSN Sheath (988085F)

Sheath included. Additional sheaths available for purchase.

**175**

BLADE LENGTH	2.50" (6.35cm)
BLADE THICKNESS	0.125" (3.18mm)
OVERALL LENGTH	5.47" (13.89cm)
WEIGHT	2.32oz (65.77g)
HANDLE THICKNESS	0.25" (6.350mm)
SHEATH WEIGHT	1.70oz (48.19g)

**CONFIGURATIONS**

175BK	BLACK
175BKSN	BLACK



A portion of the proceeds from the 175BKSN benefit the Three Rangers and Navy SEAL foundations.

**112 H2O FIXED**  
BENCHMADE DESIGN • U.S.A.



This dive knife was originally developed for an elite military program.

**MECHANISM** Fixed blade

**BLADE STYLE** Opposing bevel with blunt tip and integrated rescue hook

**BLADE STEEL** N680 ultra stainless steel (57-59HRC)

**HANDLE** Black textured Santoprene®

**SHEATH** Molded thermoplastic with thumb release



112SBK-BLK

**112**

BLADE LENGTH	3.50" (8.90cm)
BLADE THICKNESS	0.124" (3.150mm)
OVERALL LENGTH	8.07" (20.50cm)
WEIGHT	3.20oz (90.72g)
HANDLE THICKNESS	0.59" (14.986mm)
SHEATH WEIGHT	1.04oz (29.48g)

**CONFIGURATION**

112SBK-BLK	SERR	BLACK
------------	------	-------

NOT LEGAL FOR IMPORT OR SALE IN AUSTRALIA

## 133 FIXED INFIDEL®

BENCHMADE DESIGN • U.S.A.



Driven by the iconic tactical design of the Infidel® OTF, the Fixed Infidel affords the certainty of a fixed blade for the uncertainty of the mission.

**MECHANISM** Fixed blade

**BLADE STYLE** Double-edge dagger

**BLADE STEEL** D2 tool steel (60-62HRC)

**HANDLE** Black anodized, 6061-T6 billet aluminum

**SHEATH** Black Boltaron®, Tek-Lok™ compatible



133

CHECK YOUR STATE LAWS REGARDING THIS KNIFE

### 133

BLADE LENGTH	4.52" (11.48cm)
BLADE THICKNESS	0.144" (3.658mm)
OVERALL LENGTH	9.21" (23.39cm)
WEIGHT	5.11oz (114.87g)
HANDLE THICKNESS	0.48" (12.192mm)
SHEATH WEIGHT	2.51oz (71.16g)

### CONFIGURATIONS

133	
133BK	BLACK

## 375 ADAMAS® FIXED BLADE

SIBERT DESIGN • U.S.A.



Includes a paracord handle wrap, molded jump-rated sheath and Tek-Lok™ attachment system.

**MECHANISM** Fixed blade

**BLADE STYLE** Drop-point with serrations on spine

**BLADE STEEL** D2 tool steel (60-62HRC)

**HANDLE** Black or sand coated and skeletonized, with optional paracord wrap included

**SHEATH** Injection-molded with tension screw, removable locking strap and eight-position Tek-Lok™



375SN

375BK

Tek-Lok™ included



(987800F)

(987592F)

Sheath included. Additional sheaths available for purchase.



### CORD WRAP

To view video, scan code below or visit: [youtu.be/\\_NBe23ANnis](https://youtu.be/_NBe23ANnis)



### 375

BLADE LENGTH	4.20" (10.67cm)
BLADE THICKNESS	0.170" (4.318mm)
OVERALL LENGTH	9.03" (22.94cm)
WEIGHT	5.60oz (158.76g)
HANDLE THICKNESS	0.17" (4.318mm)
SHEATH WEIGHT	1.11oz (31.47g)

### CONFIGURATIONS

375SN	SAND
375BK	BLACK
375BKSN	BLACK



Benchmade Knife Company is proud to donate a portion of the proceeds from the sale of these knives to the Three Rangers Foundation and Navy SEAL Foundation.

# 119 ARVENSIS

SIBERT DESIGN • U.S.A.



A big, heavy-duty tactical knife that Shane Sibert designed to be well balanced with a "light hand feel."

**MECHANISM** Fixed blade

**BLADE STYLE** Clip-point

**BLADE STEEL** 154CM stainless steel (58-61HRC)

**HANDLE** Black contoured G10

**SHEATH** Black Boltaron®

**EXTRA** Pressed titanium handle tubing



119SBK

119



Sheath included

	119
<b>BLADE LENGTH</b>	6.42" (16.31cm)
<b>BLADE THICKNESS</b>	0.193" (4.902mm)
<b>OVERALL LENGTH</b>	11.70" (29.72cm)
<b>WEIGHT</b>	11.74oz (332.82g)
<b>HANDLE THICKNESS</b>	0.75" (19.050mm)
<b>SHEATH WEIGHT</b>	4.25oz (120.49g)

### CONFIGURATIONS

119		
119SBK	SERR	BLACK

# NIMRAVUS® FAMILY

BENCHMADE DESIGN • U.S.A.



## 140/141



Our all-time best-selling combat fixed blade.

**MECHANISM** Fixed blade

**BLADE STYLE** 140: Drop-point; 141: Tanto

**BLADE STEEL** 154CM stainless steel (58-61HRC)

**HANDLE** Black anodized, 6061-T6 billet aluminum

**SHEATH** Multifunctional, nylon, and MOLLE® compatible with MALICE CLIP®



141SBK

140BK



Black (983468F)

Coyote (983469F)

Sheath included. Additional sheaths available for purchase.

	140	141
<b>BLADE LENGTH</b>	4.50" (11.43cm)	4.50" (11.43cm)
<b>BLADE THICKNESS</b>	0.115" (2.921mm)	0.115" (2.921mm)
<b>OVERALL LENGTH</b>	9.45" (24.00cm)	9.45" (24.00cm)
<b>WEIGHT</b>	6.20oz (175.77g)	5.86oz (166.13g)
<b>HANDLE THICKNESS</b>	0.58" (14.732mm)	0.58" (14.732mm)
<b>SHEATH WEIGHT</b>	5.00oz (141.75g)	5.00oz (141.75g)

### CONFIGURATIONS

140BK		BLACK
140SBK	SERR	BLACK
140BKSN		BLACK
140SBKSN	SERR	BLACK
141BK		BLACK
141SBK	SERR	BLACK
141SBKSN	SERR	BLACK



## 7 BLKW RESCUE HOOK

BENCHMADE DESIGN • U.S.A.



Whether treating serious injury, locating contraband or extracting someone from a vehicle, these compact rescue hooks are an essential tool for the armed professional.

**MECHANISM** Rescue hook

**BLADE STYLE** Hook

**BLADE STEEL** BDZ1 stainless steel (58-60 HRC)

**HANDLE** Single-piece dip-coated handle

**SHEATH** Nylon MOLLE® compatible with included MALICE CLIP®



7 BLKW

### 7 BLKW

HOOK OPENING	0.50" (12.700mm)
OVERALL LENGTH	4.30" (10.92cm)
WEIGHT	1.50oz (42.52g)
SHEATH WEIGHT	0.95oz (26.93g)

### CONFIGURATIONS

7 BLKW	BLACK
7 BLKWADC	BLACK
7 BLKWSN	BLACK

## 10 BLK RESCUE HOOK

BENCHMADE DESIGN • U.S.A.



A versatile rescue instrument designed originally for corrections officers, the enlarged hook gap allows cutting of rope up to 1" thick, and other larger-diameter woven materials. The sheath provides ambidextrous carry in both vertical and horizontal positions.

**MECHANISM** Rescue hook

**BLADE STYLE** Hook

**BLADE STEEL** 440C stainless steel (58-60HRC)

**HANDLE** Coated skeletonized

**SHEATH** Boltaron® with MOLLE® compatible clip

**EXTRA** Hook fits in sheath from both sides and has removable retention strap



10 BLK



Sheath reverse

### 10 BLK

HOOK OPENING	1.00" (2.54cm)
OVERALL LENGTH	6.05" (15.37cm)
WEIGHT	2.05oz (58.12g)
SHEATH WEIGHT	2.37oz (67.19g)

### CONFIGURATION

10 BLK	BLACK
--------	-------

## RESCUE HOOK FAMILY

BENCHMADE DESIGN • U.S.A.



### 8 BLKW/8 BLKW MED



Ideal for cutting tasks where speed and safety are primary concerns.

**MECHANISM** Rescue hook

**BLADE STYLE** Hook

**BLADE STEEL** 440C stainless steel (58-60HRC)

**HANDLE** Coated skeletonized

**SHEATH** Black nylon with MALICE CLIP®. Alternative sheath colors are available separately (see page 87).



8 BLKW

8 BLKW MED



Sheath included

### 8 BLKW

HOOK OPENING	0.50" (12.700mm)	0.50" (12.700mm)
OVERALL LENGTH	6.50" (16.51cm)	6.50" (16.51cm)
WEIGHT	1.43oz (40.54g)	1.86oz (52.73g)
SHEATH WEIGHT	0.88oz (24.95g)	0.88oz (24.95g)

### 8 BLKW MED

### CONFIGURATIONS

8 BLKW	BLACK
8 BLKW MED	BLACK

# BENCHMADE 1100 SERIES PENS

BENCHMADE DESIGN • U.S.A.



## Precision-crafted writing tools.

- Ergonomic knurling patterns
- Anodized aluminum, titanium, stainless steel or Damascus bodies
- Caps securely snap open and closed
- Fisher Space Pen® ink cartridges

### ALUMINUM



1100-2 (Black Ink)



1101-2 (Black Ink & Carbide Tip)



Carbide tip breaks glass

### TITANIUM



1100-16 (Black Ink)

### STAINLESS STEEL




1100-4 (Black Ink)

### DAMASCUS PATTERN



1100-14 (Black Ink)



Damascus pattern detail

### REFILLS

984864F Black Ink Refill

#### 1100

PEN DIAMETER	0.50" (12.70mm)
OPEN WITHOUT CAP	5.10" (12.95cm)
CLOSED WITH CAP	5.33" (13.54cm)
ALUMINUM WEIGHT	1.30oz (36.85g)
TITANIUM WEIGHT	1.89oz (53.58g)
STAINLESS WEIGHT	3.20oz (90.72g)
DAMASCUS WEIGHT	3.20oz (90.72g)

#### CONFIGURATIONS

Aluminum
Aluminum with Carbide Tip
Stainless Steel
Titanium
Damascus
Black Ink Refill 984864F

# HATS



#### 50013 - Black Flexfit® Hat

STYLE Raised embroidered Benchmade logo  
 COLOR Black  
 MATERIAL 83% Acrylic, 15% Wool, 2% Spandex  
 FIT Structured FlexFit  
 SIZE Small / Medium - 50013-SM  
 Large / XL - 50013-LXL



#### 50014 - Solid Steel Trucker Hat

STYLE Classic weathered-style patch logo  
 COLOR Black  
 MATERIAL 55% Cotton, 45% Polyester  
 FIT Structured with snapback closure  
 SIZE One size fits most - 50014



#### 50015 - Tan Tactical Hat

STYLE 2"x3" front and 1"x1" top loop Velcro®  
 COLOR Tan  
 MATERIAL 100% Cotton  
 FIT Unstructured with Velcro® closure  
 SIZE One size fits most - 50015-TAN



#### 50015 - Gray Tactical Hat

STYLE 2"x3" front and 1"x1" top loop Velcro®  
 COLOR Gray  
 MATERIAL 100% Cotton  
 FIT Unstructured with Velcro® closure  
 SIZE One size fits most - 50015-GRY



#### 50016 - Custom Knit Beanie

STYLE Classic beanie with custom knit  
 COLOR Gray/black marling with blue streaks  
 MATERIAL 100% Acrylic  
 ORIGIN Knit in the USA with imported yarn  
 SIZE One size fits most - 50016

## T-SHIRTS



### 50001 - True Blue Shirt

Our classic butterfly logo.

COLOR Benchmade Blue

MATERIAL 100% Premium Cotton

ORIGIN Made in the USA

SIZES Small through 4X

50001-SM  
50001-MD  
50001-LG  
50001-XL  
50001-2X  
50001-3X  
50001-4X



### 50002 - Subdued Black Shirt

Our classic butterfly logo, subdued.

COLOR Black

MATERIAL 100% Premium Cotton

ORIGIN Made in the USA

SIZES Small through 4X

50002-SM  
50002-MD  
50002-LG  
50002-XL  
50002-2X  
50002-3X  
50002-4X

**NEW**



### 50017 - Eagle & Knife Shirt

It's a bald eagle with an infidel\*, because America...

COLOR Vintage Blue Heather

MATERIAL 52% Cotton, 48% Poly blend

ORIGIN Printed in the USA with imported fabric

SIZES Small through 3X

50017-SM  
50017-MD  
50017-LG  
50017-XL  
50017-2X  
50017-3X



### 50003 - OD Patriot Shirt

Patriotic design from a patriotic brand.

COLOR New Olive Drab

MATERIAL 100% Cotton

ORIGIN Printed in the USA with imported fabric

SIZES Small through 4X

50003-SM  
50003-MD  
50003-LG  
50003-XL  
50003-2X  
50003-3X  
50003-4X

## T-SHIRTS



### 50006 - Oregon Shirt

Where Benchmade's are born.

COLOR Green Triblend

MATERIAL 50% Poly, 25% Cotton, 25% Rayon

ORIGIN Printed in the USA with imported fabric

SIZES Small through 3X

50006-SM  
50006-MD  
50006-LG  
50006-XL  
50006-2X  
50006-3X



### 50007 - FOOD. WATER. KNIVES. Shirt

Don't forget your essentials.

COLOR Steel Blue Triblend

MATERIAL 50% Poly, 25% Cotton, 25% Rayon

ORIGIN Printed in the USA with imported fabric

SIZES Small through 3X

50007-SM  
50007-MD  
50007-LG  
50007-XL  
50007-2X  
50007-3X



### 50008 - HUNT. Shirt

Updated colors for 2018.

COLOR Heather Brown

MATERIAL 52% Cotton 48% Polyester

ORIGIN Printed in the USA with imported fabric

SIZES Small through 4X

50008-SM  
50008-MD  
50008-LG  
50008-XL  
50008-2X  
50008-3X  
50008-4X



## OUTERWEAR



### 50010 - 87 Pullover Hoodie

STYLE Pull-over hoodie with back design

COLOR Black

MATERIAL 10oz. 80% Cotton, 20% Polyester

ORIGIN Printed in the USA with imported fabric

SIZES Small through 3X

50010-SM  
50010-MD  
50010-LG  
50010-XL  
50010-2X  
50010-3X



### 50011 - Zip-up Hoodie

STYLE Zip-up hoodie

COLOR Gunmetal Heather

MATERIAL 8.5oz. 80% Cotton, 20% Polyester

ORIGIN Printed in the USA with imported fabric

SIZES Small through 3X

50011-SM  
50011-MD  
50011-LG  
50011-XL  
50011-2X  
50011-3X



### 50012 - Tactical Softshell Jacket

An outer layer designed for 24/7 use, featuring welded seams, multiple pockets, and Velcro® loop on both sleeves.

STYLE Softshell

COLOR Black

MATERIAL 100% Polyester with DWR water-resistant finish

ORIGIN Made by Tru-Spec

SIZES Small through 2X

50012-SM  
50012-MD  
50012-LG  
50012-XL  
50012-2X

## ACCESSORIES

NEW



### Benchmade Ferro Rod

We've partnered with Exotac, the leader in high-quality fire tools, to create the perfect ferro rod.

STYLE Ferro Rod

MATERIAL Blue anodized 6061-T6 aluminum tinder capsule

STRIKER 5/16" by 3.10" ferrocerium rod

EXTRA Included quickLIGHT™ waterproof tinder

ORIGIN Made in the USA by Exotac

SKU 50023

EXOTAC

NEW



### Benchmade Knife Roll

Showcase your collection with our new Knife Roll. Made in the USA and built tough so you can bring your collection with you in the field or just show off to friends.

STYLE Knife Roll

COLOR Gray with black accents

MATERIAL 1680 nylon and urethane coating construction

CAPACITY Holds up to eleven knives and two pens

EXTRA Two integrated loop panels for morale patches

SKU 50019



### Pro-Model Bottle Opener

High-speed beverage-entry tool.

STYLE Bottle opener

COLOR Gray Steel

MATERIAL Stainless steel with wordmark cutout

SKU 1000000



### Benchmade Pint Glass

For when the time comes to pocket the knife and raise a pint.

STYLE Pint glass

COLOR Clear with blue Benchmade butterfly logo

MATERIAL Glass

SKU 988053F



### Benchmade Coffee Mug

Black on black on black.

STYLE Coffee mug

COLOR Matte Black with Gloss Black logo, handle, rim

MATERIAL Ceramic

SKU 989133F

## SHARPENERS & MAINTENANCE



### Guided Field Sharpener

20° controlled-angle sharpener, perfect for knives, fish hooks, broadheads, and more.

STYLE Field sharpener

ABRASIVES Ceramic, diamond, leather

SERRATIONS Dual ceramic rods fit most sizes

SKU 100604F




### Mini-Tactical Pro Sharpener

Easy every day carry with a ceramic honing surface.

STYLE Field sharpener

MATERIAL Ceramitized coating and Duromite® cutters

SKU 983903F



### Bluelube™ Lubricant Bluelube™ Cleanser

Clean, lubricate, and protect your Benchmade.

SKU 983901F - Bluelube™ Cleaner

983900F - Bluelube™ Lubricant

PRICE Bluelube™ Cleanser (4oz bottle)

Bluelube™ Lubricant (1.25oz bottle w/nozzle)

### Folding Tool Kit

Keep your Benchmade knife in tune with this 14-piece folding tool kit plus sharpener. Carry case included.

SKU 985995F



### Blue Box Tool Kit

T6, T8, and T10 Torx bits with a bit holder/extension, all in a molded plastic case that doubles as the handle.

SKU 981084F



## SHEATHS AND ATTACHMENT ACCESSORIES

### Model-specific sheaths

For optional model-specific sheaths, please visit their respective pages in the catalog.

Bushcrafter.....	Page 32
Saddle Mountain Skinner.....	Page 36
Hidden Canyon Hunter.....	Page 38
SOCP.....	Page 70
CBK.....	Page 72
Adamas Fixed.....	Page 75
Nimravus.....	Page 77

### Folder Pouch (MOLLE® Compatible)

These snap-over hood closure pouches secure the knife well and can be used for belt carry with the MALICE CLIP® (included), and are MOLLE® system enabled too. Heavy stitch and elasticized true fit. Made in USA.


MOLLE® Folder Pouch  
A. 984818F - Black



### Cordura® Folder Pouch with Snap Retention (MOLLE® Compatible)

Sheaths come standard with MALICE CLIP® and Velcro® adjustable belt hanger for belt carry. Heavy stitch and hard liners stow the knife securely and a snap-around closure secures the handle. Made in USA.

Cordura Pouch with Snap Retention  
B. 100778F - Black



### Soft Sheaths

All soft sheaths are 1680-denier poly-ballistic nylon with liners and Velcro® closures. Made in USA.

C. 981086F - Soft Sheath, small (1.625" W x 5" D), black

981087F - Soft Sheath, large (2" W x 5.25" D), black

981717F - Soft Sheath, 4" Bali-Song® Series, black



### 7-Hook/8-Hook Pouch (MOLLE® Compatible)


These Velcro® hood closure pouches secure the Rescue Hook for belt carry, and are MOLLE® system enabled with the MALICE CLIP® (sold separately). Made in USA.

MOLLE® 7-Hook Pouch

D. 984166F - Black

E. 984205F - Foliage Green

F. 984204F - Coyote




MOLLE® 8-Hook Pouch

G. 985398F - Black

H. 985570F - Foliage Green

I. 985569F - Coyote



### Tek-Lok™

Multiple position options, with compatible sheath.

J. 981609F - Tek-Lok®, large size



### MALICE CLIPS®


Injection-molded connecting clip to attach sheaths to MOLLE® systems, or to use as a belt-loop-style carry. Clips securely closed with a snap-lock.

K. 983551F - Large MALICE CLIP® (4.75" size)

L. 983550F - Small MALICE CLIP® (3" size)



## DISPLAYS



### Magnetic Knife Display

Hinged magnetic display; holds up to nine open knives.


13"W x 9"D x 5"H  
989797F



### Single Knife Block

Transparent acrylic; each one holds a single knife in the open position.

1/2"W x 2 1/2"D x 3/4"H  
1000005



### Large Display Case

Rotatable shelf, multi-drawer, floor display. Three volcano displays that hold 24 knives each.

24"W x 24"D x 72"H  
989136F - Tower  
100738F - Volcano Display



### Single Knife Holder

Transparent acrylic; each one holds a single knife in the open position, with space for information card.

6 1/2"W x 2"D x 2"H  
100370F



### Benchmade Counter Mat

Transparent flexible counter mat with Benchmade and LifeSharp logos.

10"x12"  
100724F



### Waterfall Knife Rack

Transparent blue acrylic; holds seven knives in the open position.

10"D x 3 3/4"W x 3"H  
985567F

## SPECIAL SERVICES



## LIFESHARP SERVICE



We will gladly sharpen your Benchmade knife to a factory razor-sharp edge (service does not apply to any serrated portion of the blade). Simply ship your knife to us. We will inspect the knife for any warranted repairs and "tune" the knife for optimum performance. Ship the knife to Benchmade, postage-paid and insured. Please enclose your return shipping address.  
<https://www.benchmade.com/lifesharp-service>



## PERSONALIZED LASER MARKING

**Make any Benchmade your Benchmade.** Commemorate an event, or outfit the unit. Whatever the occasion, now you can have your logo or artwork laser-etched onto any Benchmade. Depending on the particular model, the mark can be placed on the blade or, for some models, on the handle. If you're interested in this special service, simply call a Benchmade customer service representative at 800.800.7427 or visit <https://www.benchmade.com/lasermarking-support>

## DESIGNER COLLABORATION

Benchmade believes working with custom designers creates the most innovative and functional designs in the industry. These skilled artisans and craftsmen pour their passion into their work and agonize over every detail. By collaborating with a selection of world-class custom designers, we're able to tap into the newest locking mechanisms, modern materials, and custom blending and finishing techniques.



**MEL PARDUE** The most senior design team member, Mel has been grinding sparks, making knives and creating a following for 25-plus years. His style has a class and simplicity all its own. The Pardue collaborations offer great utility to the every day knife user while at the same time presenting an upscale distinction. Less is definitely more with Mel's designs.

*McHenry & Williams*

**BILL MCHENRY & JASON WILLIAMS** Talented designers and developers of several innovations in the knife-making world including the Benchmade AXIS® mechanism.



**WARREN OSBORNE** Bridging the gap between custom and production knives, Warren created some of Benchmade's most iconic and loved models like the 940 series, Barrage, Rift and Contego. Warren set very high standards for himself and we are proud that his work has become ingrained in Benchmade's DNA.



**SEIICHI NAKAMURA** Engineering was his life's work until he retired to focus his efforts on a passion for custom knife work. He specializes in small Japanese-style folders, gentleman's carry and jewelry knives. His eye for artistry and mechanical engineering make him a perfect fit for the innovative Benchmade team.



**SHANE SIBERT** Since 1994, Shane Sibert's goal has been to design and create unique knives that evoke pride of ownership while at the same time perform tasks and challenges with exceptional ease. A lifelong avid backpacker, Shane draws inspiration from hiking throughout the Pacific Northwest's vast wilderness. He's an occasional practitioner of martial arts and enjoys scuba diving in Oregon's chilly waters.



**GREG THOMPSON** Greg used an extensive background in mixed martial arts to create the Special Operations Combatives Program (SOCP), a designated program for U.S. Army Special Operations Forces. With over 15 years of experience training Special Operations soldiers, Greg currently works as the Director of Training for the XVIII Airborne Corps at Fort Bragg, NC



**BUTCH BALL** Butch developed a passion for knives at a very early age. After building a few fixed blades in the early '90s, he decided in 2000 to begin a true custom shop. Butch starts each knife as a prototype, which he then tests, re-creates and tests again. At each stage in this development process, he is thinking of ways to improve the design, whether mechanically or ergonomically. The results of this process are designs that are as robust as they are innovative.



**STEVE TARANI** A former Central Intelligence Agency (CIA) employee who served the U.S. Defense, Law Enforcement, and Intelligence communities for over 25 years. Specializing in operational readiness, he is a federally certified force options instructor actively contracted by the DOD, NSA, FBI, DHS, and DEA. Tarani is currently a federal contractor, works in executive protection, is a non-ballistic weapons expert, an edged weapons expert witness, and a master knife designer.



**PATRICK FAMIN** For more than ten years, Patrick Famin has been designing and building knives. Originally from France, Patrick now splits his time between France and Florida. His knives are a fantastic blend of every day carry function and unique style, designed to go most anywhere in the world.

## LOCKING MECHANISMS

It seems simple enough: you open the knife, you close the knife. But it's the mechanics of motion that happen in the process of opening and closing that can make the difference between ordinary and extraordinary. Is the knife easy to actuate, can it be opened with one hand, is it ambidextrous, and will it be reliable when you need it most? These are all essential considerations when it comes to knife mechanics.

### AXIS®

A Benchmade original, AXIS® has been turning heads and winning fans ever since its introduction. A 100 percent ambidextrous design, AXIS® gets its function from a small, hardened steel bar that rides forward and back in a slot machined into both steel liners. The bar extends to both sides of the knife, spans the liners and is positioned over the rear of the blade. It engages a ramped tang portion of the knife blade when it is opened. Two omega-style springs, one on each liner, give the locking bar its inertia to engage the knife tang. As a result, the tang is wedged solidly between a sizable stop pin and the AXIS® bar itself. Available in manual, AXIS® Assist or Auto AXIS® configurations.

### OPTION™ LOCK

The next generation of the ultra strong, ambidextrous AXIS® lock. When versatility is key, the patent-pending OPTION™ lock gives the advantage of having two different blades using the same mechanism; without compromising lockup strength or ease of use.

### AXIS® ASSIST

Easily opened, quickly and with one hand, this evolution of the AXIS® includes a spring that helps fire the blade into the open position once the user pushes it beyond a certain point manually. The AXIS® lock also has the added benefit of "suck-back," which encourages the blade to stay in the closed position. AXIS® Assist knives also feature integrated safety lock systems.

### LINER LOCK

The basic principle is an integral locking bar, resulting from the knife liner being stress-bent, enabling it to spring into position behind the rear tang of the blade when the blade is opened. The locking bar wedges against the rear of the blade, locking it open until you physically push it clear and close the blade (locking-liners are made either right- or left-hand-specific). And with a modified locking-liner you get a patented feature that helps enhance the lock function. The function success and function failure of a locking-liner depends greatly on how well it is made, and also the quality of the materials used. With Benchmade, you get the best of both.

### MONOLOCK

The monolock mechanism is basically a locking-liner on steroids. The knife liner is one and the same as the knife handle, and thus the handle is designed and made to function as the locking mechanism. Subsequently, a thicker material is used to provide enough surface area to be a functional handle and in turn creates a larger surface area to lock the blade with. If executed properly, the monolock design rates very highly in strength and function.

### SLIP-JOINT

A back spring-tension hold method found on traditional pocket knives. The spring consists of a piece of steel fixed to the handle. When the blade is rotated, the spring applies varying pressure onto the back of the blade using a camming action. This is not a true locking device because folding the knife requires only that the user overcome the spring pressure in order to rotate the blade back into the handle.

### BALI-SONG®

As much an art form as it is the ultimate example of form following function. The Bali-Song®, or butterfly knife, is of Filipino ancestry, dating back to nearly AD 800. Its basic form consists of a pin-hinged, two-piece that which, when closed, encases the blade for carry. Opening and closing can be accomplished with a single hand, making the tool that much more utility-capable.

### NITROUS®

Another patented Benchmade exclusive, the Nitrous® boosts the blade with ease. As the blade is closed, the two torsion arms that run the length of the handle liners are secured in place and make contact with the blade tang. When opening, the user rotates the blade open to a 30-degree angle, where the torsion arms take over and continue the blade-opening process on their own. The huge advantage of the Nitrous® design over other similar concepts is that the blade must be rotated open to beyond a 30-degree angle, which offers added user control.

### AUTOMATICS

Sometimes restricted to Active-Duty Military, Law Enforcement and Public Safety, these automatic knives utilize either push-button, slide-release or dual-action mechanisms. Benchmade autos take full advantage of powerful springs coupled with our precisely machined lock mechanisms, providing the most reliable automatic systems available in the industry. Our patented integrated safety mechanism, located on the handle spine in all push-button automatics, can also ensure that the blade will not inadvertently deploy, or close once it is locked open.

### AXIS® AUTOMATIC


Auto AXIS® — strong, reliable, fast and an AXIS® lock through and through—this locking mechanism fires the blade open 100% mechanically when the AXIS® bar is pulled downward. Auto AXIS® also features integrated safety mechanisms and the added safety of "suck-back."

### PUSH-BUTTON AUTOMATIC

Push the button and the blade fires into the open position. Our push-button mechanisms are not only fast and convenient, they're also extremely strong. Most also feature integrated safety mechanisms.

### OUT-THE-FRONT (OTF) AUTOMATIC

Our OTF mechanisms are mechanical masterpieces. Slide the lock button towards the top and the blade fires straight out. Pull the button back to the bottom and the blade returns into the handle.



## BLADE STEELS

Benchmade uses a variety of modern materials selected for their superior performance characteristics. We strongly believe that if you're going to put this much effort into designing a premium quality performance cutting tool, then it only makes sense to build it with premium-materials.

### KEY

**E** Edge Retention

**S** Strength

**C** Corrosion Resistance

**T** Toughness

How long a blade can maintain its sharpened edge

Maximum stress withstood before a blade breaks or fails

Resistance of a blade to oxidization and chemical attack

Resistance of a blade to fracture and chipping

### STEELS



**CPM-S30V** HRC: 58-60

A premium steel created especially for knives, it is a powder steel creating uniform carbide distribution and clean steel properties. As a blade material it offers excellent corrosion resistance and superb edge qualities. This stainless steel is extremely well balanced, making it one of the best all-around choices for daily tasks.



**CPM-S90V** HRC: 59-61

A true super-steel, S90V offers substantial improvements in corrosion resistance over 440C and wear resistance far beyond that of D2. Extremely high carbon and vanadium content gives this premium stainless powder-metal alloy the ultimate in edge retention while maintaining great strength and toughness properties.



**D2** HRC: 60-62

A high-carbon, high-chrome tool steel provides better edge retention than 440C and 154CM; however, it has less toughness and corrosion resistance than either of these alloys. The original "go-to" tool steel for knife blades, D2 provides great edge retention but requires a little extra care to keep the rust off.



**N680** HRC: 57-59

A special-application steel for when corrosion resistance is the primary requirement. Ideal for salt water applications, the addition of nitrogen to the alloy gives this the best corrosion resistance of any blade steel, with edge retention between 420HC and 440C.



**CPM-M4** HRC: 62-64

A powder-metal, non-stainless, special purpose high-speed steel with a combination of high carbon, moly, vanadium and tungsten for excellent wear resistance and toughness. Due to its lower level of chrome content it may require additional care to avoid corrosion.



**440C** HRC: 58-60

Originally designed for ball bearings, valves and gears, this high-carbon stainless steel is the staple of the cutlery industry. A high-chromium stainless steel with balanced hardness and corrosion resistance, 440C takes a fine edge and is fairly easy to re-sharpen. An excellent value-priced steel for its performance.



**M390** HRC: 58-61

A super-performance blade steel with exceptional cutting ability and wear resistance. Given its uniform microstructure, M390 is often used in surgical cutting instruments and other applications that require a high finish. Extremely high carbon and chrome content also gives this premium stainless powder-metal alloy the best corrosion resistance of any martensitic stainless alloy.



**154CM** HRC: 58-61

A premium-grade steel developed for tough industrial applications. Known best for its all-around qualities, 154CM offers a good balance of corrosion resistance, toughness and edge quality.



**CPM-20CV** HRC: 59-61

Excellent edge retention and great corrosion resistance are typically hard to find in one steel; however, they meet here in CPM-20CV. A powder-metal steel that takes a fine edge and maintains it, 20CV is a great choice for someone looking for low maintenance and superior cutting performance.



**CPM-3V** HRC: 55-58

A powder-metal tool steel, its high carbon and vanadium paired with low chromium make it exceptionally tough while still being able to maintain a good cutting edge. It may require extra care to keep the rust off, but can handle just about anything thrown at without breaking or edge chipping.



**Damasteel** HRC: 58-60

With alternating layers of RWL34 and RPMC27, this powder metal 'Damascus' steel doesn't just get by on its looks alone. The interweaving of these two alloys provides great strength and toughness while affording edge retention comparable to that of 440C. Used in special applications due to its high cost and artistic nature.

### HEAT TREATMENT

Over the years we have developed a "special recipe" for heat-treating our blade steels. This process maximizes the steel's molecular structure for a custom toughness and superior performance. All steels may be created equal, but when it comes to Benchmade, that's where it stops.

## COATINGS, LINERS, SHEATHS, HANDLES

### COATINGS

#### CERAKOTE®

A spray-on ceramic coating with excellent wear and corrosion resistance. Used frequently in the firearms industry, and available in a wide variety of colors.

#### DLC

'Diamond-like Carbon,' is a thin layer of carbon atoms that is slowly built up on the surface, providing a sleek black look, a hardness similar to natural diamond, and excellent abrasion resistance. DLC is also used as a coating in machining, stamping and molding tools, as well as engine components.

#### PVD

PVD, or Physical Vapor Deposition, is a process used to apply super-hard coatings like DLC and chromium nitride. Done in an ultra-high vacuum, the result is a thin but dense layer with far fewer atomic defects than what other processes are capable of, and which gives superb scratch resistance that is ideal for everyday applications.

#### ANODIZATION

An electrochemical process used for adding color to titanium surfaces. A combination of chemical bath and electrical voltage level generates the desired color. A similar process is used for aluminum, with the addition of a chemical coloring bath.

### LINERS

#### 6AL-4V TITANIUM

Considered an exotic metal alloy (titanium + 6% aluminum + 4% vanadium) with an excellent strength-to-weight ratio that offers exceptional performance in a knife. Titanium is corrosion-resistant to natural elements as well as many industrial chemicals.

#### 410SS STAINLESS STEEL

A common knife grade with low-carbon, high-chromium-content steel that offers excellent bend toughness and wearability. It offers excellent corrosion resistant characteristics as well.

### SHEATHS

#### BALLISTICS NYLON

A heavy-duty woven nylon fabric originally developed for use in bulletproof vests and body armor. Offers great lightweight sheath durability.

#### LEATHER

A natural material dating back to humans' earliest beginnings in the knife world. It can be easily dyed and tooled for a desired visual effect. Offers traditionally accepted levels of performance and design capability.

#### KYDEX®

A mixture of acrylic and PVC that offers outstanding impact and chemical resistance as well as fire retardancy. Widely used in the auto and aerospace industries. Molded or thermo-formed.

#### BOLTARON®

A proprietary, fire-retardant PVC/acrylic alloy sheet, black in color, offering a UL Standard 94 V-0 fire rating, excellent impact strength, abrasion resistance, chemical resistance and thermoformability. Manufactured using recycled resin, it is a cost-effective alternative to other general-purpose flame-retardant materials.

### HANDLES

#### CARBON FIBER

A contemporary premium composite of thin strands of carbon tightly woven into various weave patterns, then impregnated with resin that is most commonly clear but can be color-tinted. It offers great looks and is exceptionally strong for its minimal weight.

#### STABILIZED WOOD

A composite material backfilled with resin, stabilized wood is much more resistant to environmental hardships than natural wood.

#### 6AL-4V TITANIUM

Considered an exotic metal alloy (titanium + 6% aluminum + 4% vanadium) with an excellent strength-to-weight ratio that offers exceptional performance in a knife. Titanium is corrosion-resistant to natural elements as well as many industrial chemicals.

#### MICARTA

Layers of linen cloths soaked in resin and compressed together. Most commonly used on more stylish knives due to its rich color and finish qualities.

#### 6061-T6 ALUMINUM

A nonferrous metal originally developed as a premium aircraft-grade aluminum, it offers a solid handle form and function at a nominal weight. Most typically color-anodized.

#### G10

An extremely durable makeup of layers of fiberglass soaked in resin, then highly compressed and baked. Impervious to moisture or liquid and physically stable under a wide range of temperatures. Most commonly black, but is also available in various colors.

#### GRIVORY®

An amorphous nylon copolymer with exceptional dimensional stability. 50% or greater glass fill.

#### SANTOPRENE®

A thermoplastic elastomer that is molded to specification. It offers excellent flexibility with high tear strength and fatigue resistance. Resistant to many harsh chemicals. These features contribute to improved performance in a range of tough jobs.


The following are registered trademarks of their respective companies: Zytel®, E.I. du Pont de Nemours & Company; Kydex®, Kleerdex Company; Noryl GTX® and Valox®, General Electric Company; Santoprene®, Advanced Elastomer Systems; Grivory®, EMS-Grivory; Boltaron®, Boltaron Performance Products, LLC.





# PRODUCT INDEX

★ NEW



# WARRANTY

## LIMITED LIFETIME WARRANTY

Benchmade Knife Company, Inc. ("Benchmade") warrants to the original owner that this knife will be free from defects in materials and workmanship. Benchmade will, without charge, repair or replace, at Benchmade's option, any knife returned for warranty work and found to be defective by Benchmade, according to the terms of this Warranty. If we choose to replace the knife, we may replace it with the same model or one of equal value. The knife must be shipped by owner prepaid and insured freight, together with a description of the problem, and must be accompanied by the original bill of sale, your charge or credit card receipt or any satisfactory proof of the original date of purchase from a retail dealer. Any automatic knife (button or slide activated spring-opening) returned for Warranty service from outside of Oregon must also include a signed Automatic Knife Opening Acknowledgement ("AKOA") form, or be returned through the authorized Benchmade dealer. Any automatic knife sent by you to us without a signed AKOA form will be returned via an authorized Benchmade dealer. To obtain an AKOA form, please visit [www.benchmade.com](http://www.benchmade.com). NO EXCEPTIONS WILL BE MADE.

"The Benchmade Lifetime Warranty only applies to genuine Benchmade products from authorized Benchmade dealers. Knives purchased on the internet through discount websites, mail order outlets, or through any other unauthorized source, and knives which are determined by Benchmade to be counterfeit are not entitled to our warranty coverage."

## WHAT IS COVERED?

This Warranty covers replacement parts and labor.

## WHAT IS NOT COVERED?

This Warranty does not cover normal wear; non-factory re-sharpening of the blade; cosmetic damages (such as scratches on the product); damage caused by neglect and/or misuse (meaning use of the knife for any purpose other than its intended purpose as a cutting tool) or the failure to perform normal or necessary maintenance. The Warranty does not cover disassembly or modification of any product by any person other than Benchmade's Warranty department. The Warranty does not cover damage incurred while in shipment; insurance for the product during shipping is recommended and is your responsibility. Do not use your new knife as a screwdriver, pry bar, chisel or punch. Do not throw your knife or use it for any purpose other than cutting. Do not disassemble your knife. Do not sharpen your knife on a power grinding wheel. Any of these acts will void your Warranty. MINIMUM CHARGE TO REASSEMBLE A KNIFE WHEN THE WARRANTY HAS BEEN VOIDED IS \$20 PLUS PARTS.

Repair or replacement, as provided under this Warranty, is the exclusive remedy of the consumer. Benchmade shall not be liable for any incidental, reliance, indirect, special, punitive, exemplary, or consequential damages or breach of implied Warranty on this product, including any damage to person or property. Benchmade's liability under any and all circumstances is limited to the purchase price paid by you for the product. Some states do not allow exclusion or limitation of certain types of damages, so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.

This knife has only one use, as a cutting tool. Benchmade knives carry no warranty except as expressly contained herein. Benchmade disclaims all warranties of merchantability and fitness for a particular purpose other than for use as a cutting tool.

Please review the Warranty information and proper knife care instructions provided with each knife.

## ORDERING OF AUTOMATIC KNIVES

Automatic knives are available for sale in Oregon. The sale of automatic knives is federally regulated. Always check permissibility within your state or locality as non-federal personnel may be precluded from ownership or use by state laws. NO EXCEPTIONS WILL BE MADE. Purchase of automatic knives outside of the state of Oregon must be preceded by the submission of an AKOA form.

The Benchmade AKOA form can be found at:  
[www.benchmade.com/media/forms/ako\\_acknowledgment.pdf](http://www.benchmade.com/media/forms/ako_acknowledgment.pdf)

## SHIPPING OF AUTOMATIC KNIVES

All automatic knives shipped by Benchmade will be sent via courier (UPS, FedEx, etc.) and CANNOT be shipped through the U.S. Postal Service. Also, please note that all returns of

automatic knives must be shipped via courier (UPS, FedEx, etc.). It is our policy that all automatic knives shipped out of state require a signed AKOA form. We will not ship automatic knives out of state until we receive a signed AKOA form.

## ARE BENCHMADE ASSIST-OPEN KNIVES LEGAL?

Because of the way the Benchmade assist-open knives are designed and built, they are not considered automatic or switchblade knives under federal interpretations.

Even though the Benchmade assist-open models are not classified as automatics or switchblades, it is still recommended that the user research and verify the legalities in their own specific areas.

## COMPLIANCE WITH LAWS, ASSUMPTION OF RISK, RELEASE OF LIABILITY, INDEMNITY

The purchase, use, and ownership of knives is subject to a wide variety of federal, state, and local laws and regulations. Knife laws and regulations are subject to local interpretations and may change frequently. It is the responsibility of the buyer to be aware of and to comply with the laws that govern the buyer in the buyer's specific area, pertaining to owning, carrying, transporting, shipping, and using the product.

We encourage responsible ownership.

THE KNIFE IS VERY SHARP. USE WITH CARE. BE SMART AND SAFE. KEEP OUT OF REACH OF CHILDREN. MISUSE OF THE PRODUCT OR FAILURE TO PROPERLY MAINTAIN YOUR PRODUCT CAN CAUSE MECHANISMS IN THE PRODUCT TO NOT FUNCTION PROPERLY AND COULD CAUSE DAMAGE TO THE PRODUCT AND/OR SERIOUS INJURY OR EVEN DEATH.

You expressly release Benchmade from, and you expressly agree to indemnify and hold harmless Benchmade for, all claims, damages, liabilities, losses, and expenses (including reasonable attorneys' fees) resulting directly or indirectly from your purchase, ownership, transportation, shipment, use, or misuse of your product in violation of any federal, state, or local law, rule, or regulation. Except for the express product Warranty provided herein, Benchmade will not be held responsible or liable for your purchase, ownership, transportation, shipment, use, or misuse of any Benchmade product purchased, either directly from Benchmade or from any retail dealer.

## PRICING

Every effort is made to ensure the accuracy of the prices and information presented in this catalog. However, we reserve the right to rectify any and all errors prior to any sale transactions. Prices shown are at suggested retail (U.S. currency). Actual purchase prices may vary. All pricing and product specifications are subject to possible change without prior notice. Visit [www.benchmade.com](http://www.benchmade.com) for the latest information.



Benchmade is proud to be a charter member of AKTI. Get involved. Help protect your knife freedoms. Join AKTI today!  
877.752.8770 or [www.akti.org](http://www.akti.org)

The following are trademarks or registered trademarks of Benchmade Knife Company, Inc. or trademarks or registered trademarks of Mentor Group, L.L.C. and used under license: 87; Adamas; Aileron; Aller; Altitude; Anthem; Arcane; Autocrat; AXIS; Azeria; Bailout; Bali-Song; Bali-Song (butterfly logo); Barrage; Bedlam; Benchmade; Benchmade (butterfly logo); Benchmade (wordmark logo); Benchmade HUNT. (wordmark logo); BlueLube; Boost; Bugout; Butterfly (wordmark logo); Casbah; Cascabel; Coalition; Custom Knife Builder (wordmark logo); Dualist; Emissary; Fact; Follow-Up; Freek; Genuine AXIS Mechanics (logo); Griptilian; Grizzly Ridge; Impel; Infidel; Mediator; Morpho; Nimravus; Om; Option; Outlast; Pacifist; Pagan; Phaeton; Pika; Precipice; Presidio; Presidio Ultra; Proper; Rift; Rolling Lock; Saibu; Sequel; Stryker; The Edge of Perfection; Triage; Turret; Vallation; Vector. • NOTE: We reserve the right to make any design and/or material modifications without prior notice. • Benchmade products may be manufactured under one or more of the patents found at <https://www.benchmade.com/patents>



# 20,083,200

OPTIONS TO CREATE YOUR PERFECT KNIFE

CUSTOM KNIFE BUILDER™  
<https://www.benchmade.com/customizer.html>

# BENCHMADE®

300 BEAVERCREEK ROAD  
OREGON CITY, OR 97045

USA DOMESTIC  
CUSTOMER SERVICE/SALES

TELEPHONE  
800.800.7427  
503.655.6004

CUSTOMER SERVICE FAX  
503.496.1896

EMAIL  
INFO@BENCHMADE.COM

WEB  
BENCHMADE.COM



#MYBENCHMADE

FEDERAL GOVERNMENT  
CUSTOMER SERVICE/SALES

TELEPHONE  
800.800.7427  
(ASK FOR FED/GOV SALES)

FED/GOV SALES FAX  
503.655.6223

EMAIL  
MILITARY@BENCHMADE.COM

WEB  
BENCHMADE.COM

GSA CONTRACT  
GS-07F-0537T

CAGE CODE  
041N2



INTERNATIONAL  
CUSTOMER SERVICE/SALES

TELEPHONE  
503.655.6004  
(ASK FOR INTERNATIONAL SALES)

EMAIL  
INTERNATIONAL@BENCHMADE.COM

WEB  
BENCHMADE.COM